



My WebMD Sign in | Sign Up | Why WebMD?

Symptoms | Doctors | Health Care Reform

Health A-Z

Drugs & Supplements

Living Healthy

Family & Pregnancy

News & Experts



WebMD Home > Pain Management Health Center > Carpal Tunnel Syndrome Health Center

Print Article | Save | Email a Friend

Carpal Tunnel Syndrome Health Center

- Topic Overview
- Health Tools
- Cause
- Symptoms
- What Happens
- What Increases Your Risk
- When To Call a Doctor
- Exams and Tests
- Treatment Overview
- Prevention
- Home Treatment
- Medications
- Surgery
- Other Treatment
- Other Places To Get Help
- Related Information
- References
- Credits

Related to Carpal Tunnel Syndrome

- Arthritis
- Carpal Tunnel Reference
- Carpal Tunnel Slideshows
- Drug Interaction Checker
- Find a Neurologist
- Pain Management
- Pill Identifier
- Rheumatoid Arthritis Videos

Carpal Tunnel Syndrome Health Center

Tools & Resources

- [Tips for Healthy Joints](#)
- [What Is Cupping Therapy?](#)
- [Reasons You're in Pain](#)
- [Pain Relief: What Do You Know?](#)
- [Preventing Carpal Tunnel Syndrome](#)
- [Hand Pain Causes](#)

Physical Exam for Carpal Tunnel Syndrome

As part of the [physical exam](#) for [carpal tunnel](#) symptoms, your doctor will:

- Examine your neck, arms, wrists, and hands, comparing the strength and appearance of both sides.
- Check your thumb for strength and movement by watching you grip or pinch an object.
- Examine other parts of your arm, to check for problems with another nerve in your arm. If your doctor suspects neck-related problems, he or she will also check your neck for possible nerve compression.

One or more of the following tests are commonly used to diagnose [carpal tunnel syndrome](#):

Tinel's sign test

Your doctor taps on the inside of your wrist over the [median nerve](#). If you feel tingling, numbness, "pins and needles," or a mild "electrical shock" sensation in your hand when tapped on the wrist, you may have carpal tunnel syndrome.

Phalen's sign test

You hold your arms out in front of you and then flex your wrists, letting your hands hang down for about 60 seconds. If you feel tingling, numbness, or pain in the fingers within 60 seconds, you may have carpal tunnel syndrome.

Two-point discrimination test

This test is used when severe carpal tunnel syndrome is suspected. It is not very accurate for mild carpal tunnel syndrome. To do the test, your doctor has you close your [eyes](#) and then uses small instruments, such as the tips of two opened paper clips, to touch two points (fairly close together) on your hand or finger. Typically, you would feel separate touches if the two points are at least 0.5 cm (0.2 in.) apart. In severe carpal tunnel syndrome, you may not be able to tell the difference between the two touches, so it may feel as though only one place is being touched.

Why It Is Done

A physical exam with a focus on your neck, arms, wrists, and hands is done if there is tingling, numbness, weakness, or pain of the fingers, thumb, or hand. The exam is to help find out whether your symptoms are caused by compression of the median nerve as it passes through the carpal tunnel in the wrist (carpal tunnel syndrome).

Results

Normal

There appears to be no sign of altered or loss of feeling or strength, or pain in the hand, wrist, arm, or neck during the physical exam.

Abnormal

Tinel's sign and Phalen's tests produce mild to severe signs of tingling, numbness,

Today on WebMD



VIDEO
[What Is Neuropathy?](#)



VIDEO
[Common Teethbrushing Mistakes](#)



SLIDESHOW
[What Is Carpal Tunnel Syndrome?](#)



TOOL
[Find a Pharmacy](#)

ADVERTISEMENT

ADVERTISEMENT



[What Happens When You Take a Testosterone Supplement](#)


Sponsored by Nugenix



[How New iPads are Selling for Under \\$40](#)

Sponsored by QuiBids

ADVERTISEMENT



TOOL
[Find a Hospital Near You](#)



ARTICLE
[7 Carpal Syndrome Symptoms](#)



SLIDESHOW
[Can Acupuncture Help My Pain?](#)



TOOL
[Find a Physician Near You](#)

WebMD Special Sections

- [Carpal Tunnel Syndrome: Are You at Risk?](#)



How Cruise Lines Fill All Those Unsold Cruise Cabins

Sponsored by VacationsToGo



How to Get Freakishly Long Eyelashes in as Little as 7 Days

Sponsored by SmartLash

Advertorials by **How life Works**
ADVERTISEMENT

loss of feeling or strength, or pain in the hand.

What To Think About

If you have mild symptoms of tingling, numbness, loss of feeling or strength, or pain in a wrist or hand, you can start nonsurgical (conservative) treatment right away. Nonsurgical treatment includes rest, stopping activities that may be causing the symptoms, and the use of a wrist splint at night. Studies have not shown nonsteroidal anti-inflammatory **drugs** (NSAIDs) to be effective for carpal tunnel syndrome. But they may help relieve symptoms.

If it is not clear that the symptoms are caused by carpal tunnel syndrome, or if the condition is not improving with home treatment, your doctor may recommend nerve testing, X-rays, **MRI**, **ultrasound**, and/or **blood** tests. These test results should help to clarify your diagnosis.

Complete the [medical test information form \(PDF\)](#) to help you prepare for this test.

By **Healthwise Staff**

Primary Medical Reviewer **Kathleen Romito, MD - Family Medicine**

Specialist Medical Reviewer **Herbert von Schroeder, MD, MSc, FRCSC - Hand and Microvascular Surgery**

Last Revised **October 2, 2012**

Further Reading:

- [Dupuytren's Contracture: Causes and Risk Factors](#)
- [How Dupuytren's Contracture Progresses](#)
- [Preventing and Treating Dry, Chapped Hands in Winter](#)
- [Causes of Tingling in Hands and Feet](#)
- [Finger Infection](#)
- [How to Handle High-Tech Hand Injuries](#)
- [Carpal Tunnel Syndrome-Exams and Tests](#)
- ▶ [See All Repetitive Motion Disorders Topics](#)

Top Picks

- [When Pain Interrupts Your Sleep](#)
- [Does Weather Affect Your Pain?](#)
- [Acupuncture and Pain: Get the Facts](#)
- [9 Causes of Nerve Pain](#)
- [New! My Medicine Tool](#)
- [Carpal Tunnel: Symptoms, Causes, and Treatment](#)

WebMD Medical Reference from Healthwise

Last Updated: October 02, 2012

This information is not intended to replace the advice of a doctor. Healthwise disclaims any liability for the decisions you make based on this information.

© 1995-2014 Healthwise, Incorporated. Healthwise, Healthwise for every health decision, and the Healthwise logo are trademarks of Healthwise, Incorporated.

Health Solutions From Our Sponsors

- [Rx for Alzheimer's](#)
- [Frequent Constipation?](#)
- [Low Testosterone?](#)
- [Severe Alzheimer's?](#)
- [OA Doctor Answers](#)
- [Trying to Get Pregnant?](#)
- [Stages of Alzheimer's](#)
- [Managing Diabetes](#)
- [Testosterone Treatment](#)
- [Controlling Heart Disease](#)
- [Dupuytren's Disease?](#)
- [Cochlear Implants](#)
- [IBS-C Symptoms?](#)
- [Supplement FAQs](#)
- [Alzheimer's Worsening?](#)

More From WebMD: [RA Basics](#) | [Ulcerative Colitis Diet](#) | [Essential Nutrition for Women](#) | [Blood Sugar Swings](#) | [Low Testosterone](#) | [Anaphylaxis](#) | [ADHD Symptoms](#) | [RA Exercises](#)

Find us on:   

[About WebMD](#) | [Advertise With Us](#) | [Terms of Use](#) | [Privacy Policy](#) | [Sponsor Policy](#) | [Site Map](#) | [Careers](#) | [Contact Us](#)
[Medscape Reference](#) | [eMedicineHealth](#) | [RxList](#) | [Medscape](#) | [MedicineNet](#) | [BootsWebMD](#) | [WebMD Corporate](#)
[First Aid](#) | [WebMD Magazine](#) | [WebMD Health Record](#) | [WebMD Mobile](#) | [Newsletters](#) | [Dictionary](#) | [Physician Directory](#)



©2005-2014 WebMD, LLC. All rights reserved.

WebMD does not provide medical advice, diagnosis or treatment. [See additional information.](#)

