

# AMITIZA (lubiprostone)

Visit us for helpful tools and resources.



ADVERTISEMENT

**Pill Identifier App**  
Now available for the iPhone and iPad.  
[View Details](#)



Browse all medications [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [Advanced Search](#) [Phonetic Search](#)

- Home
- Drugs A-Z
- Pill Identifier
- Interactions Checker
- News
- Health Professionals
- Q & A
- Mednotes
- Apps

Home → Conditions → Underactive Thyroid → Levothyroxine

Print Share

Sign In or Register

## Levothyroxine

Generic Name: levothyroxine (LEE voh thee ROX een)  
Brand Names: *Levothroid, Levoxyl, Synthroid, Tirosint, Unithroid*

- Overview
- Side Effects
- Dosage
- Interactions
- For Professionals
- More

### Drug & Alcohol Treatment

#1 Step is to Call Us Now. 30 Day Residential Drug Rehab in CT



### What is levothyroxine?

Levothyroxine is a replacement for a hormone normally produced by your thyroid gland to regulate the body's energy and metabolism. Levothyroxine is given when the thyroid does not produce enough of this hormone on its own.

Levothyroxine treats hypothyroidism (low thyroid hormone). It is also used to treat or prevent goiter (enlarged thyroid gland), which can be caused by hormone imbalances, radiation treatment, surgery, or cancer.

### Important information

You may not be able to take levothyroxine if you have certain medical conditions. Tell your doctor if you have an untreated or uncontrolled adrenal gland disorder, a thyroid disorder called thyrotoxicosis, or if you have any recent or current symptoms of a heart attack.

Levothyroxine should not be used to treat obesity or weight problems. Dangerous side effects or death can occur from the misuse of levothyroxine, especially if you are taking any other weight-loss medications or appetite suppressants.

### Before taking this medicine

ADVERTISEMENT

### 3 Worst Foods for Thyroid

medixselect.com

The One Thing You Should Be Eating For Your Thyroid Every Morning.

### Fix Thyroid = Lose Weight

### Hypothyroidism Solutions

### 4 veggies to never eat:

### Wake Up Your Thyroid

### Reduce Nerve Pain Now

### 7 Hidden Dementia Signs

### 2015 Best Skin Tighteners

### My 1 Trick for Hair Loss

### I Stopped My Hair Loss

### Related Information

- Rx Availability**  
Prescription only
- A Pregnancy Category**  
Studies show no risk
- N/A CSA Schedule**  
Not a controlled drug
- Approval History**  
Drug history at FDA

### Reviews

218 User Reviews

### Average User Rating

7.3 Rate it!

### Drug Class

Thyroid drugs

### Related Drugs

Hashimoto's disease  
[Synthroid, Armour Thyroid, Levoxyl, Tirosint, Levothroid, More...](#)

### Hypothyroidism, After Thyroid Removal

[Synthroid, Armour Thyroid, Levoxyl, Cytomel, liothyronine, Tirosint, More...](#)

### TSH Suppression

[Synthroid, Armour Thyroid, Levoxyl, Cytomel, liothyronine, Tirosint, More...](#)

### Thyroid Suppression Test

[Synthroid, Levoxyl, Cytomel, liothyronine, Tirosint, More...](#)

2 more conditions...

ADVERTISEMENT

## PHOTO-STABILITY

ICH Q1B option II

Meets Requirements: ICH, FDA, EMEA & Health Canada



### Levothyroxine Images



Levothyroxine should not be used to treat obesity or weight problems. Dangerous side effects or death can occur from the misuse of levothyroxine, especially if you are taking any other weight-loss medications or appetite suppressants.

Since thyroid hormone occurs naturally in the body, almost anyone can take levothyroxine. However, you may not be able to take this medication if you have certain medical conditions.

To make sure levothyroxine is safe for you, tell your doctor if you have:

- a thyroid disorder called thyrotoxicosis;
- heart disease, coronary artery disease, or a history of blood clots;
- diabetes (insulin or oral [diabetes medication](#) <sup>↗</sup> doses may need to be changed when you start taking levothyroxine);
- anemia (lack of red blood cells);
- osteoporosis, or low bone mineral density;
- problems with your pituitary gland;
- any food or drug allergies;
- an untreated or uncontrolled adrenal gland disorder; or
- if you have recently had a heart attack, or are having any symptoms of a heart attack (chest pain or heavy feeling, pain spreading to the jaw or shoulder, nausea, sweating, general ill feeling).

Tell your doctor if you have recently received radiation therapy with iodine (such as I-131).

FDA pregnancy category A. Levothyroxine is not expected to harm an unborn [baby](#) <sup>↗</sup>. If you become pregnant while taking this medicine, do not stop taking the medicine without your doctor's advice. Having low thyroid hormone levels [during pregnancy](#) <sup>↗</sup> could harm both mother and baby. Your dose needs may be different during pregnancy.

**See also:** [Pregnancy and breastfeeding warnings](#) (in more detail)

Levothyroxine can pass into breast milk, but it is not expected to be harmful to a [nursing](#) <sup>↗</sup> baby. Do not use this medication without telling your doctor if you are breast-feeding a baby. Your dose needs may be different while you are nursing.

## 3 Worst Foods for Thyroid



[medixselect.com](#)

The One Thing You Should Be Eating For Your Thyroid Every Morning.

[Wake Up Your Thyroid](#) ▾

[Hypothyroidism Solutions](#) ▾

## How should I take levothyroxine?


Take levothyroxine exactly as prescribed by your doctor. Follow all directions on your prescription label. Your doctor may occasionally change your dose to make sure you get the best results. Do not take this medicine in larger or smaller amounts or for longer than recommended.

Do not share this medication with another person, even if they have the same symptoms you have.

### Slideshow: Need to Know: GERD and Heartburn



Levothyroxine 50 mcg (0.05 mg)



Levothyroxine 100 mcg (0.1 mg)

▶ [View all 213 images](#)

### Get Updates by Email

#### Email me:

News and Warnings related to this drug

FDA Medwatch Alerts for all Medications

News Roundup  Daily

### Related News and Articles

#### [Fluoride in Drinking Water Tied to Higher Rates of Underactive Thyroid](#) February 25, 2015

A British study finds a correlation between the amount of fluoride in public drinking water and a rise in incidence of underactive thyroid. While the study is...

#### [Thyroid Trouble May Harm Women's Fertility, Study Finds](#) January 26, 2015

A new study supports the notion that thyroid disorders can cause significant reproductive problems for women. The report's authors believe that testing for...

#### [Standard Treatment for Underactive Thyroid Gland Still Best: Experts](#) October 3, 2014

An expert panel reviewing treatments for hypothyroidism has concluded that the drug levothyroxine (L-T4) should remain the standard of care. The updated...

Diagnosed with mod/sev  
psoriatic arthritis?

[Learn about biologics](#) ▶

04/07/2015

Levothyroxine works best if you take it on an empty stomach, at least 30 minutes before breakfast. Follow your doctor's dosing instructions and try to take the medicine at the same time each day.

It is very important to take Levoxyl with a full glass (8 ounces) of water. The Levoxyl tablet can dissolve very quickly and swell in the throat, possibly causing choking or gagging.

While using levothyroxine, you may need frequent medical tests.

Tell any doctor or dentist who treats you that you are using levothyroxine.

Store at room temperature away from moisture and heat.

It may take several weeks before your body starts to respond to levothyroxine. Keep using this medicine even if you feel well. You may need to use this medicine for the rest of your life to replace the thyroid hormone your body cannot produce.

## What happens if I miss a dose?

Take the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose. Do not take extra medicine to make up the missed dose.

## What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

Overdose symptoms may include headache, leg cramps, tremors, feeling nervous or irritable, chest pain, shortness of breath, and fast or pounding heartbeats.

## What should I avoid?

Certain medicines can make levothyroxine less effective if taken at the same time. If you use any of the following drugs, avoid taking them within 4 hours before or 4 hours after you take levothyroxine:

- calcium carbonate (Alka-Mints, Calcium Oyster Shell, Caltrate, Os-Cal, Oyster Shell Calcium, Roloids Soft Chew, Tums, and others);
- cholestyramine, colestipol;
- ferrous sulfate iron supplement;
- sucralfate;
- sodium polystyrene sulfonate (Kalexate, Kayexalate, Kionex); or
- antacids that contain aluminum or magnesium - Acid Gone, Gaviscon, Maalox, Milk of Magnesia, Mintox, Mylanta, Pepcid Complete, and others).

Avoid the following food products, which can make your body absorb less levothyroxine: infant soy formula, cotton seed meal, walnuts, and high-fiber foods.

## 5 Foods you must not eat



 [trimdownclub.com](http://trimdownclub.com)

Cut down a bit of stomach fat every day by never eating these 5 foods.

[5\) Foods To Never Eat](#) ▼

[Want Rapid Weight Loss?](#) ▼

## Levothyroxine side effects

Get emergency medical help if you have any of these signs of an allergic reaction to levothyroxine: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Call your doctor at once if you have a serious side effect such as:

- fast or irregular heart rate;
- fever, hot flashes, sweating;
- sleep problems (insomnia);
- changes in your menstrual periods; or
- vomiting, diarrhea, appetite changes, weight changes.

Common levothyroxine side effects may include mild hair loss.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.







**See also:** [Side effects](#) (in more detail)

## What other drugs will affect levothyroxine?

Many other medicines can be affected by your thyroid hormone levels. Other medicine may also increase or decrease the effects of levothyroxine.

Many drugs can interact with levothyroxine and not all possible interactions are listed in this medication guide.

Tell your doctor about all medications you use, start using, or stop using during your treatment with this medicine. This includes prescription, over-the-counter, vitamin, and herbal products. Give a list of all your medicines to any healthcare provider who treats you.

 [Google](#)  [Facebook](#)  [Twitter](#)  [Print](#)  [Email](#)  [Add to Mednotes](#)

**Next Page** → [Side Effects](#)

## More about levothyroxine

- [Side Effects](#)
- [During Pregnancy](#) or [Breastfeeding](#)
- [Dosage Information](#)
- [Drug Images](#)
- [Drug Interactions](#)
- [Support Group](#)
- [Pricing & Coupons](#)
- [En Espanol](#)
- [218 Reviews](#) - [Add your own review/rating](#)

### Consumer resources

- [Levothyroxine](#)
- [Levothyroxine capsules](#)
- [Levothyroxine solution](#)
- [Levothyroxine](#) (Advanced Reading)
- [Levothyroxine Injection](#) (Advanced Reading)
- *Other brands:* [Synthroid](#), [Levoxyl](#), [Tirosint](#), [Levothroid](#), [More \(1\)](#) »

### Professional resources

- [Levothyroxine Sodium](#) (AHFS Monograph)
- [More \(3\)](#) »

## Related treatment guides

- [Hashimoto's disease](#)
- [Hypothyroidism, After Thyroid Removal](#)
- [TSH Suppression](#)
- [Thyroid Suppression Test](#)
- [Myxedema Coma](#)
- [More \(1\) »](#)

## Where can I get more information?

- Your pharmacist can provide more information about levothyroxine.

## 3 Worst Foods for Thyroid

The One Thing You Should Be Eating For Your Thyroid Every Morning



Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medicine only for the indication prescribed.

Disclaimer: Every effort has been made to ensure that the information provided by Cerner Multum, Inc. ('Multum') is accurate, up-to-date, and complete, but no guarantee is made to that effect. Drug information contained herein may be time sensitive. Multum information has been compiled for use by healthcare practitioners and consumers in the United States and therefore Multum does not warrant that uses outside of the United States are appropriate, unless specifically indicated otherwise. Multum's drug information does not endorse drugs, diagnose patients or recommend therapy. Multum's drug information is an informational resource designed to assist licensed healthcare practitioners in caring for their patients and/or to serve consumers viewing this service as a supplement to, and not a substitute for, the expertise, skill, knowledge and judgment of healthcare practitioners. The absence of a warning for a given drug or drug combination in no way should be construed to indicate that the drug or drug combination is safe, effective or appropriate for any given patient. Multum does not assume any responsibility for any aspect of healthcare administered with the aid of information Multum provides. The information contained herein is not intended to cover all possible uses, directions, precautions, warnings, drug interactions, allergic reactions, or adverse effects. If you have questions about the drugs you are taking, check with your doctor, nurse or pharmacist.

Copyright 1996-2015 Cerner Multum, Inc. Version: 11.02. Revision Date: 2014-06-20, 11:31:27 AM.



### Support

- [Advertise With Us](#)
- [Frequently Asked Questions](#)
- [Ask a Question](#)
- [Content Submissions](#)
- [Mobile Apps](#)
- [About Drugs.com](#)
- [Contact Us](#)
- [Sitemap](#)

Follow:     

### About Drugs.com

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment.

Data sources include Micromedex® (updated Feb 4th, 2015), Cerner Multum™ (updated Feb 17th, 2015), Wolters Kluwer™ (updated Apr 6th, 2015) and others. To view content sources and attributions, refer to our [editorial policy](#).

Copyright © 2000-2015 Drugs.com. All rights reserved.

### Your Privacy



We comply with the HONcode standard for trustworthy health information.

[Verify here](#)



Ad Choices

[Terms of Use](#) · [Privacy Policy](#)