National Institutes of Health / U.S. National Library of Medicine



REVIEWED

By Chris Tighe at 1:16 pm, Mar 08, 2016

Home → Drugs, Herbs and Supplements → Silver Sulfadiazine

URL of this page: https://www.nlm.nih.gov/medlineplus/druginfo/meds/a682598.html

Silver Sulfadiazine

pronounced as (sil' ver sul fa dye' a zeen)

Why is this medication prescribed?

Silver sulfadiazine, a sulfa drug, is used to prevent and treat infections of second- and third-degree burns. It kills a wide variety of bacteria.

This medication is sometimes prescribed for other uses; ask your doctor or pharmacist for more information.

How should this medicine be used?

Silver sulfadiazine comes in a cream. Silver sulfadiazine usually is applied once or twice a day. Follow the directions on your prescription label carefully, and ask your doctor or pharmacist to explain any part you do not understand. Use silver sulfadiazine exactly as directed. Do not use more or less of it or use it more often than prescribed by your doctor.

Do not apply this drug to infants less than 2 months of age.

Do not stop using silver sulfadiazine until your doctor tells you to do so. Your burn must be healed so that infection is no longer a problem. Gently wash the burned skin area daily to help remove dead skin. If your burn becomes infected or if your infection worsens, call your doctor.

Before applying the medication, clean the burned area and remove any dead or burned skin. Always wear a sterile, disposable glove when you apply silver sulfadiazine. Cover the cleaned burned area with a 1/16-inch (0.2-centimeter) thickness of cream. Keep the burned area covered with cream at all times; reapply the cream to any area that becomes uncovered.

What special precautions should I follow?

Before using silver sulfadiazine,

tell your doctor and pharmacist if you are allergic to silver sulfadiazine, sulfa drugs, or any other

1 of 4 3/8/2016 1:15 PM

drugs.

- tell your doctor and pharmacist what prescription and nonprescription medications you are taking, including vitamins.
- tell your doctor if you have or have ever had liver or kidney disease.
- tell your doctor if you are pregnant, plan to become pregnant, or are breast-feeding. If you become pregnant while using silver sulfadiazine, call your doctor.

What should I do if I forget a dose?

Apply the missed dose as soon as you remember it. However, if it is almost time for the next dose, skip the missed dose and continue your regular dosing schedule. Do not apply a double dose to make up for a missed one.

What side effects can this medication cause?

Silver sulfadiazine may cause side effects. Tell your doctor if any of these symptoms are severe or do not go away:

- pain
- burning
- itching

If you experience any of the following symptoms, call your doctor immediately:

- · unusual bleeding or bruising
- fever
- sore throat
- yellowing of the skin or eyes
- blood in urine
- aching joints
- unusual weakness or tiredness
- skin rash

If you experience a serious side effect, you or your doctor may send a report to the Food and Drug Administration's (FDA) MedWatch Adverse Event Reporting program online (http://www.fda.gov/Safety/MedWatch]) or by phone (1-800-332-1088).

What should I know about storage and disposal of this medication?

2 of 4 3/8/2016 1:15 PM

Keep this medication in the container it came in, tightly closed, and out of reach of children. Store it at room temperature and away from excess heat and moisture (not in the bathroom). Throw away any medication that is outdated or no longer needed. Talk to your pharmacist about the proper disposal of your medication.

What other information should I know?

Keep all appointments with your doctor.

Silver sulfadiazine is for external use only. Do not let silver sulfadiazine get into your eyes, nose, or mouth, and do not swallow it. Do not apply dressings, bandages, cosmetics, lotions, or other skin medications to the area being treated unless your doctor tells you.

Do not let anyone else use your medication. Ask your pharmacist any questions you have about refilling your prescription.

Tell your doctor if your skin condition gets worse or does not go away.

It is important for you to keep a written list of all of the prescription and nonprescription (over-the-counter) medicines you are taking, as well as any products such as vitamins, minerals, or other dietary supplements. You should bring this list with you each time you visit a doctor or if you are admitted to a hospital. It is also important information to carry with you in case of emergencies.

Brand names

- Silvadene ®
- SSD Cream ®
- Thermazene ®

Last Reviewed - 02/01/2009



American Society of Health-System Pharmacists, Inc. Disclaimer

AHFS® Patient Medication Information. © Copyright, 2016. The American Society of Health-System Pharmacists, Inc., 7272 Wisconsin Avenue, Bethesda, Maryland. All Rights Reserved. Duplication for commercial use must be authorized by ASHP.

U.S. National Library of Medicine 8600 Rockville Pike, Bethesda, MD 20894 U.S. Department of Health and Human Services

3 of 4 3/8/2016 1:15 PM

National Institutes of Health

Page last updated: 24 February 2016

4 of 4