Amitriptyline (By mouth) - National Library of Medicine - PubMed Health https://www.ncbi.nlm.nih.gov/pubmedhealth/PMHT0008944/?report=details

	<b>REVIEWED</b> By Chris Tighe at 12:50 pm, Nov 08, 2017
Micromedex Consumer Medication Information.	Contents
Published: October 1, 2017	Uses
Amitriptyline (By mouth)	Warnings
am-i-TRIP-ti-leen	Possible side effects
Treats depression. This medicine is a TCA.	Brand names
Drug classes	
Antidepressant, Urinary Enuresis Agent (About this - PubMed Healt	h)
	What works?
Uses	
Uses of This Medicine	
<u>Amitriptyline</u> is used to treat symptoms of <u>depression</u> . It works <u>nervous system</u> (CNS) to increase levels of certain chemicals in medicine is a tricyclic antidepressant (TCA).	
This medicine is available only with your doctor's prescription.	
Other uses (PubMed Health)	Learn more about the effects of these drugs. The most reliable
How To Use	research is summed up for you in our featured article.
Tablet	Featured article »
Take your medicine as directed. Your dose may need to be chang to find what works best for you.	
This medicine should come with a Medication Guide. Ask your p copy if you do not have one.	oharmacist for a <b>Things you need to know</b>
Store the medicine in a closed container at room temperature, a moisture, and direct light.	
<b>Missed dose:</b> Take a dose as soon as you remember. If it is alm next dose, wait until then and take a regular dose. Do not take en make up for a missed dose.	
Drugs and Foods to Avoid	
Ask your doctor or pharmacist before using any other medicine, the-counter medicines, <u>vitamins</u> , and herbal products.	including over- More information about a drug
Do not use this medicine with cisapride. Do not use this medicin <u>inhibitor</u> (MAOI) within 14 days of each other.	e and an MAO Tips about using medicines
Some medicines and foods can affect how <u>amitriptyline</u> works. T you are using <u>cimetidine</u> , <u>disulfiram</u> , or <u>guanethidine</u> . Tell your using other medicine for <u>depression</u> (such as <u>fluoxetine</u> , <u>paroxet</u> phenothiazine medicine (such as <u>promethazine</u> , <u>chlorpromazine</u> <u>heart</u> rhythm problems (such as <u>flecainide</u> , <u>propafenone</u> , <u>quinid</u> medicine.	doctor if you are <u>tine, sertraline</u> ), a <u>a</u> ), medicine for <u>ine</u> ), or <u>thyroid</u>
Tell your doctor if you use anything else that makes you sleepy. <u>allergy</u> medicine, narcotic pain medicine, and alcohol.	Some examples are
When Not To Use	Filter
This medicine is not right for everyone. Do not use if you had an to <u>amitriptyline</u> .	allergic reaction If you're interested in the scientific methods behind systematic reviews, we've now made it easier for you to
Warnings	read all
Tell your doctor if you are pregnant or breastfeeding, or if you h <u>heart</u> disease, <u>diabetes</u> , narrow-angle <u>glaucoma</u> , a <u>seizure disorce</u>	

Amitriptyline (By mouth) - National Library of Medicine - PubMed Health https://www.ncbi.nlm.nih.gov/pubmedhealth/PMHT0008944/?report=details

DubMad Haalth Hama | Abaut BubMad Haalth | Commistet | Disalaimen | Consus on Easabaalt | Fallourus | Add us | Contact Ha

Amitriptyline (By mouth) - National Library of Medicine - PubMed Health https://www.ncbi.nlm.nih.gov/pubmedhealth/PMHT0008944/?report=details