

[MENU](#)[Request an Appointment](#)[Find a Doctor](#)[Find a Job](#)[Give Now](#)[Log in to Patient Account](#)  
[Translated Content](#)**REVIEWED***By Chris Tighe at 9:23 am, Oct 19, 2016*[Patient Care & Health Information](#) [Diseases & Conditions](#)

# Inguinal hernia

[Overview](#)[Symptoms & causes](#)[Diagnosis & treatment](#)[Self-management](#)[More about](#)

## Symptoms and causes

[By Mayo Clinic Staff](#)[Print](#)[Advertisement](#)

### Symptoms

Inguinal hernia signs and symptoms include:

- A bulge in the area on either side of your pubic bone, which becomes more obvious when you're upright, especially if you cough or strain
- A burning or aching sensation at the bulge
- Pain or discomfort in your groin, especially when bending over, coughing or lifting
- A heavy or dragging sensation in your groin
- Weakness or pressure in your groin
- Occasionally, pain and swelling around the testicles when the protruding intestine descends into the scrotum

You should be able to gently push the hernia back into your abdomen when you're lying down. If not, applying an ice pack to the area may reduce the swelling enough so that the hernia slides in easily. Lying with your pelvis higher than your head also may help.

#### Incarcerated hernia

If you aren't able to push the hernia in, the contents of the hernia can be trapped (incarcerated) in the abdominal wall. An

Mayo Clinic does not endorse companies  
Advertising revenue supports our not-for-  
mission.

#### Advertising & Sponsorship

[Policy](#) | [Opportunities](#)

#### Mayo Clinic Store

Check out these best-sellers and sp  
offers on books and newsletters for  
Clinic.

[Guide to Stress-Free Living](#)[Better Hearing and Balance](#)[Controlling High Blood Pressure](#)[Living well with Diabetes](#)[Mayo Clinic on Arthritis](#)

## Diagnosis & treatment

[Diagnosis](#)[Treatment](#)[Clinical trials](#)[Preparing for your  
appointment](#)

incarcerated hernia can become strangulated, which cuts off the blood flow to the tissue that's trapped. A strangulated hernia can be life-threatening if it isn't treated.

Signs and symptoms of a strangulated hernia include:

- Nausea, vomiting or both
- Fever
- Sudden pain that quickly intensifies
- A hernia bulge that turns red, purple or dark
- Inability to move your bowels or pass gas

If any of these signs or symptoms occurs, call your doctor right away.

### **Signs and symptoms in children**

Inguinal hernias in newborns and children result from a weakness in the abdominal wall that's present at birth. Sometimes the hernia will be visible only when an infant is crying, coughing or straining during a bowel movement. He or she might be irritable and have less appetite than usual.

In an older child, a hernia is likely to be more apparent when the child coughs, strains during a bowel movement or stands for a long period.

### **When to see a doctor**

See your doctor if you have a painful or noticeable bulge in your groin on either side of your pubic bone. The bulge is likely to be more noticeable when you're standing, and you usually can feel it if you put your hand directly over the affected area. Seek immediate medical care if a hernia bulge turns red, purple or dark.

## **Causes**

Some inguinal hernias have no apparent cause. Others might occur as a result of:

- Increased pressure within the abdomen
- A pre-existing weak spot in the abdominal wall
- A combination of increased pressure within the abdomen and a pre-existing weak spot in the abdominal wall
- Straining during bowel movements or urination

- Strenuous activity
- Pregnancy
- Chronic coughing or sneezing

In many people, the abdominal wall weakness that leads to an inguinal hernia occurs at birth when the abdominal lining (peritoneum) doesn't close properly. Other inguinal hernias develop later in life when muscles weaken or deteriorate due to aging, strenuous physical activity or coughing that accompanies smoking.

Weaknesses can also occur in the abdominal wall later in life, especially after an injury or abdominal surgery.

In men, the weak spot usually occurs in the inguinal canal, where the spermatic cord enters the scrotum. In women, the inguinal canal carries a ligament that helps hold the uterus in place, and hernias sometimes occur where connective tissue from the uterus attaches to tissue surrounding the pubic bone.

## Risk factors

Factors that contribute to developing an inguinal hernia include:

- **Being male.** Men are eight times more likely to develop an inguinal hernia than are women.
- **Being older.** Muscles weaken as you age.
- **Being white.**
- **Family history.** You have a close relative, such as a parent or sibling, who has the condition.
- **Chronic cough,** such as from smoking.
- **Chronic constipation.** Constipation causes straining during bowel movements.
- **Pregnancy.** Being pregnant can weaken the abdominal muscles and cause increased pressure inside your abdomen.
- **Premature birth and low birth weight.**
- **Previous inguinal hernia or hernia repair.** Even if your previous hernia occurred in childhood, you're at higher risk of developing another inguinal hernia.

## Complications

Complications of an inguinal hernia include:

- **Pressure on surrounding tissues.** Most inguinal hernias enlarge over time if not repaired surgically. In men, large hernias can extend into the scrotum, causing pain and swelling.
- **Incarcerated hernia.** If the contents of the hernia become trapped in the weak point in the abdominal wall, it can obstruct the bowel, leading to severe pain, nausea, vomiting, and the inability to have a bowel movement or pass gas.
- **Strangulation.** An incarcerated hernia can cut off blood flow to part of your intestine. Strangulation can lead to the death of the affected bowel tissue. A strangulated hernia is life-threatening and requires immediate surgery.

Overview

Diagnosis

References

Share on: [Facebook](#) [Twitter](#) [Print](#)

June 15, 2016

Related

- [Hernia truss: Can it help an inguinal hernia?](#)
- [Symptom Checker](#)
- [Groin pain \(male\)](#)

Inguinal hernia

Overview

Symptoms & causes

Diagnosis & treatment

- [Diagnosis](#)
- [Treatment](#)
- [Clinical trials](#)
- [Preparing for your appointment](#)

Self-management

More about

In-Depth

- Expert Answers
- Multimedia
- Resources
- News from Mayo Clinic



Request Appointment | Contact Us

About Mayo Clinic | Employees

Find a Job | Site Map | About This Site

Mayo Clinic is a not-for-profit organization. Make a donation.

PATIENT CARE & HEALTH INFO	DEPARTMENTS & CENTERS	RESEARCH	EDUCATION	FOR MEDICAL PROFESSIONALS	PRODUCTS & SERVICES
Healthy Lifestyle	Doctors & Medical Staff	Explore Research Labs	Mayo Graduate School	Provider Relations	Healthy Living Program
Symptoms A-Z	Medical Departments & Centers	Find Clinical Trials	Mayo Medical School	Online Services for Referring Physicians	Sports Medicine
Diseases & Conditions A-Z	Research Centers & Programs	Research Faculty	Mayo School of Continuous Professional Development	Video Center	Books and more ...
Tests & Procedures A-Z	About Mayo Clinic	Postdoctoral Fellowships	Mayo School of Graduate Medical Education	Publications	Mayo Clinic Health Letter
Drugs & Supplements A-Z	Contact Us	Discovery's Edge Magazine	Mayo School of Health Sciences	Continuing Medical Education	Medical Products
Appointments		Search Publications	Alumni Center	Mayo Medical Laboratories	Population Health and Wellness Programs
Patient & Visitor Guide		Training Grant Positions			Health Plan Administration
Billing & Insurance					Medical Laboratory Services
Patient Online Services					Continuing Education for Medical Professionals

Any use of this site constitutes your agreement to the Terms and Conditions and Privacy Policy linked below.

Terms and Conditions

Privacy Policy

Notice of Privacy Practices

Reprint Permissions

A single copy of these materials may be reprinted for noncommercial personal use only. "Mayo," "Mayo Clinic," "MayoClinic.org," "Mayo Clinic Healthy Living," and the triple-shield Mayo Clinic logo are trademarks of Mayo Foundation for Medical Education and Research.



We comply with the HONcode standard for trustworthy health information: verify here.