

REVIEWED By Chris Tighe at 9:56 am, Jan 04, 2018



Generic Name: Chlorzoxazone (klor ZOKS a zone) Brand Name: Lorzone, Parafon Forte DSC

The Parafon Forte DSC brand name has been discontinued in the U.S. If generic versions of this product have been approved by the FDA, there may be **generic equivalents available**.

Uses of Parafon Forte DSC:

• It is used to calm muscles.

What do I need to tell my doctor BEFORE I take Parafon Forte DSC?

- If you have an allergy to chlorzoxazone or any other part of Parafon Forte DSC (chlorzoxazone).
- If you are allergic to any drugs like this one, any other drugs, foods, or other substances. Tell your doctor about the allergy and what signs you had, like rash; hives; itching; shortness of breath; wheezing; cough; swelling of face, lips, tongue, or throat; or any other signs.

This medicine may interact with other drugs or health problems.

Tell your doctor and pharmacist about all of your drugs (prescription or OTC, natural products, vitamins) and health problems. You must check to make sure that it is safe for you to take this medicine with all of your drugs and health problems. Do not start, stop, or change the dose of any drug without checking with your doctor.

What are some things I need to know or do while I take Parafon Forte DSC?

- Tell all of your health care providers that you take Parafon Forte DSC. This includes your doctors, nurses, pharmacists, and dentists.
- Avoid driving and doing other tasks or actions that call for you to be alert until you see how this medicine affects you.
- Talk with your doctor before you drink alcohol or use other drugs and natural products that slow your actions.
- This medicine is used with rest, PT (physical therapy), pain drugs, and other therapies.
- Rarely, Parafon Forte DSC may change the color of the urine. This is normal and not a cause for concern.
- If you are 65 or older, use this medicine with care. You could have more side effects.
- Tell your doctor if you are pregnant or plan on getting pregnant. You will need to talk about the benefits and risks of using Parafon Forte DSC while you are pregnant.
- Tell your doctor if you are breast-feeding. You will need to talk about any risks to your baby.

How is this medicine (Parafon Forte DSC) best taken?

Use this medicine as ordered by your doctor. Read all information given to you. Follow all instructions closely.

• Take with or without food. Take with food if it causes an upset stomach.

What do I do if I miss a dose?

- If you take Parafon Forte DSC on a regular basis, take a missed dose as soon as you think about it.
- If it is close to the time for your next dose, skip the missed dose and go back to your normal time.
- Do not take 2 doses at the same time or extra doses.
- Many times this medicine is taken on an as needed basis. Do not take more often than told by the doctor.

What are some side effects that I need to call my doctor about right away?

WARNING/CAUTION: Even though it may be rare, some people may have very bad and sometimes deadly side effects when taking a drug. Tell your doctor or get medical help right away if you have any of the following signs or symptoms that may be related to a very bad side effect:

- Signs of an allergic reaction, like rash; hives; itching; red, swollen, blistered, or peeling skin with or without fever; wheezing; tightness in the chest or throat; trouble breathing or talking; unusual hoarseness; or swelling of the mouth, face, lips, tongue, or throat.
- Very bad and sometimes deadly liver problems have happened with Parafon Forte DSC. Call your doctor right away if you have signs of liver problems like dark urine, feeling tired, not hungry, upset stomach or stomach pain, light-colored stools, throwing up, or yellow skin or eyes.

What are some other side effects of Parafon Forte DSC?

All drugs may cause side effects. However, many people have no side effects or only have minor side effects. Call your doctor or get medical help if any of these side effects or any other side effects bother you or do not go away:

- Upset stomach or throwing up.
- Feeling sleepy.
- Dizziness.
- Feeling tired or weak.
- Feeling nervous and excitable.

These are not all of the side effects that may occur. If you have questions about side effects, call your doctor. Call your doctor for medical advice about side effects.

You may report side effects to the FDA at 1-800-FDA-1088. You may also report side effects at http://www.fda.gov /medwatch.

If OVERDOSE is suspected:

If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

How do I store and/or throw out Parafon Forte DSC?

- Store at room temperature.
- Store in a dry place. Do not store in a bathroom.
- Keep all drugs in a safe place. Keep all drugs out of the reach of children and pets.
- Check with your pharmacist about how to throw out unused drugs.

Consumer Information Use and Disclaimer

- If your symptoms or health problems do not get better or if they become worse, call your doctor.
- Do not share your drugs with others and do not take anyone else's drugs.
- Keep a list of all your drugs (prescription, natural products, vitamins, OTC) with you. Give this list to your doctor.
- Talk with the doctor before starting any new drug, including prescription or OTC, natural products, or vitamins.
- Some drugs may have another patient information leaflet. Check with your pharmacist. If you have any questions about this medicine, please talk with your doctor, nurse, pharmacist, or other health care provider.
- If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

This information should not be used to decide whether or not to take Parafon Forte DSC or any other medicine. Only the healthcare provider has the knowledge and training to decide which medicines are right for a specific patient. This information does not endorse any medicine as safe, effective, or approved for treating any patient or health condition. This is only a brief summary of general information about this medicine. It does NOT include all information about the possible uses, directions, warnings, precautions, interactions, adverse effects, or risks that may apply to Parafon Forte DSC (chlorzoxazone). This information is not specific medical advice and does not replace information you receive from the healthcare provider. You must talk with the healthcare provider for complete information about the risks and benefits of using this medicine.

Review Date: December 6, 2017

Drag to outliner or Upload Close