

**REVIEWED****By Chris Tighe at 1:52 pm, Aug 15, 2018**

MENU

Search Mayo Clinic

Request an Appointment  
 Find a Doctor  
 Find a Job  
 Give Now

Log in to Patient Account

English

[Patient Care & Health Information](#) [Diseases & Conditions](#)

# Edema

Request an  
Appointment

[Symptoms & causes](#) [Diagnosis & treatment](#)

## Overview

[Print](#) [Ads by Swoop](#)

Edema is swelling caused by excess fluid trapped in your body's tissues. Although edema can affect any part of your body, you may notice it more in your hands, arms, feet, ankles and legs.


Edema can be the result of medication, pregnancy or an underlying disease — often congestive heart failure, kidney disease or cirrhosis of the liver.

Taking medication to remove excess fluid and reducing the amount of salt in your food often relieves edema. When edema is a sign of an underlying disease, the disease itself requires separate treatment.

## Symptoms

Signs of edema include:

- Swelling or puffiness of the tissue directly under your skin, especially in your legs or arms
- Stretched or shiny skin
- Skin that retains a dimple (pits), after being pressed for several seconds
- Increased abdominal size



### Edema in foot and ankle

Swelling of the foot, ankle and leg can be severe

Mayo Clinic does not endorse companies or products. Advertising revenue supports our for-profit mission.

[Advertising & Sponsorship](#)

[Policy](#) | [Opportunities](#) | [Ad Choices](#)

## When to see a doctor

Make an appointment to see your doctor if you have swelling, stretched or shiny skin, or skin that retains a dimple after being pressed (pitting). See your doctor immediately if you experience:

- Shortness of breath
- Difficulty breathing
- Chest pain

enough to leave an indentation (pit) when you press on the area. This swelling (edema) is the result of excess fluid in your tissues — often caused by congestive heart failure or blockage in a leg vein.

## Mayo Clinic Marketplace

Check out these best-sellers and special offers on books and newsletters from Mayo Clinic.  
[FREE TRIAL – Mayo Clinic Health Letter](#)

---

[4 Simple Steps to a Joy-Filled Life](#)

---

[Mayo Clinic on Digestive Health](#)

---

[Stop Osteoporosis in its Tracks](#)

---

[The Mayo Clinic Diet Online](#)

Ads by Swoop

These can be signs of pulmonary edema, which requires prompt treatment.

If you've been sitting for a prolonged period, such as on a long flight, and you develop leg pain and swelling that won't go away, call your doctor. Persistent leg pain and swelling can indicate a blood clot deep in your vein (deep vein thrombosis, or DVT).

## Request an Appointment at Mayo Clinic

## Causes

Edema occurs when tiny blood vessels in your body (capillaries) leak fluid. The fluid builds up in surrounding tissues, leading to swelling.

Mild cases of edema may result from:

- Sitting or staying in one position for too long
- Eating too much salty food
- Having premenstrual signs and symptoms
- Being pregnant

Edema can also be a side effect of some medications, including:

- High blood pressure medications
- Nonsteroidal anti-inflammatory drugs

- Steroid drugs
- Estrogens
- Certain diabetes medications called thiazolidinediones

In some cases, however, edema may be a sign of a more serious underlying medical condition. Several diseases and conditions may cause edema, including:

- **Congestive heart failure.** If you have congestive heart failure, one or both of your heart's lower chambers lose their ability to pump blood effectively. As a result, blood can back up in your legs, ankles and feet, causing edema. Congestive heart failure can also cause swelling in your abdomen. Sometimes, this condition can cause fluid to accumulate in your lungs (pulmonary edema), which can lead to shortness of breath.
- **Cirrhosis.** Fluid may accumulate in your abdominal cavity (ascites) and in your legs as a result of liver damage (cirrhosis).
- **Kidney disease.** When you have kidney disease, extra fluid and sodium in your circulation may cause edema. The edema associated with kidney disease usually occurs in your legs and around your eyes.
- **Kidney damage.** Damage to the tiny, filtering blood vessels in your kidneys can result in nephrotic syndrome. In nephrotic syndrome, declining levels of protein (albumin) in your blood can lead to fluid accumulation and edema.
- **Weakness or damage to veins in your legs.** If you have chronic venous insufficiency, the one-way valves in your leg veins are weakened or damaged, which allows blood to pool in your leg veins and causes swelling. Sudden onset of swelling in one leg accompanied by pain in your calf muscle can be due to a blood clot (deep vein thrombosis, or DVT) in one of your leg veins. If this occurs, seek medical help immediately.
- **Inadequate lymphatic system.** Your body's lymphatic system helps clear excess fluid from tissues. If this system is damaged — for example, by cancer surgery — the lymph nodes and lymph vessels draining an area may not work correctly, and edema can occur.
- **Severe, long-term protein deficiency.** An extreme lack (deficiency), of protein in your diet over a long period of time can lead to fluid accumulation and edema.

## Risk factors

If you are pregnant, your body retains more sodium and water than usual due to the fluid needed by the fetus and placenta. This can increase your risk of developing edema.

Your risk of edema may be increased if you take certain medications, including:

- High blood pressure medications
- Nonsteroidal anti-inflammatory drugs
- Steroid drugs
- Estrogens
- Certain diabetes medications called thiazolidinediones

A chronic illness — such as congestive heart failure or liver or kidney disease — can increase your risk of edema. Also, surgery can sometimes obstruct a lymph node, leading to swelling in an arm or leg, usually on just one side.

## Complications

If left untreated, edema can cause:

- Increasingly painful swelling
- Difficulty walking
- Stiffness
- Stretched skin, which can become itchy and uncomfortable
- Increased risk of infection in the swollen area
- Scarring between layers of tissue
- Decreased blood circulation
- Decreased elasticity of arteries, veins, joints and muscles
- Increased risk of skin ulcers

By Mayo Clinic Staff

## Request an Appointment at Mayo Clinic

### Diagnosis & treatment

Share on: [Facebook](#) [Twitter](#) [Print](#) Oct. 26, 2017

#### References

## Edema

### Symptoms & causes

### Diagnosis & treatment

[Patient Care & Health Information](#) [Diseases & Conditions](#) [Edema](#)

CON-20339015



[Request Appointment](#) | [Contact Us](#)  
[About Mayo Clinic](#) | [Employees](#) | [Find a Job](#)  
[Site Map](#) | [About This Site](#)

Mayo Clinic is a not-for-profit organization.  
 Make a donation.

<b>PATIENT CARE &amp; HEALTH INFO</b>	<b>DEPARTMENTS &amp; CENTERS</b>	<b>RESEARCH</b>	<b>EDUCATION</b>	<b>FOR MEDICAL PROFESSIONALS</b>	<b>PRODUCTS &amp; SERVICES</b>
<a href="#">Healthy Lifestyle</a>	<a href="#">Doctors and Medical Staff</a>	<a href="#">Explore Research Labs</a>	<a href="#">Mayo Clinic College of Medicine and Science</a>	<a href="#">Provider Relations</a>	<a href="#">Healthy Living Program</a>
<a href="#">Symptoms A-Z</a>	<a href="#">Medical Departments and Centers</a>	<a href="#">Find Clinical Trials</a>	<a href="#">Mayo Clinic Graduate School of Biomedical Sciences</a>	<a href="#">Referring Physician Portal</a>	<a href="#">Sports Medicine</a>
<a href="#">Diseases and Conditions A-Z</a>	<a href="#">Research Centers and Programs</a>	<a href="#">Research Faculty</a>	<a href="#">Mayo Clinic School of Medicine</a>	<a href="#">AskMayoExpert</a>	<a href="#">Books and more - Mayo Clinic Marketplace</a>
<a href="#">Tests and Procedures A-Z</a>	<a href="#">About Mayo Clinic</a>	<a href="#">Postdoctoral Fellowships</a>	<a href="#">Mayo Clinic School of Continuous Professional Development</a>	<a href="#">Video Center</a>	<a href="#">Mayo Clinic Health Letter</a>
<a href="#">Drugs and Supplements A-Z</a>	<a href="#">Contact Us</a>	<a href="#">Discovery's Edge Magazine</a>	<a href="#">Mayo Clinic School of Graduate Medical Education</a>	<a href="#">Publications</a>	<a href="#">Mayo Clinic Health Letter</a>
<a href="#">Appointments</a>		<a href="#">Search Publications</a>	<a href="#">Mayo Clinic School of Health Sciences</a>	<a href="#">Continuing Medical Education</a>	<a href="#">Medical Products</a>
<a href="#">Patient and Visitor Guide</a>		<a href="#">Training Grant Programs</a>	<a href="#">Alumni Center</a>	<a href="#">Mayo Medical Laboratories</a>	<a href="#">Population Health and Wellness Programs</a>
<a href="#">Billing and Insurance</a>					<a href="#">Medical Laboratory Services</a>
<a href="#">Patient Online Services</a>					<a href="#">Mayo Clinic Voice Apps</a>

Any use of this site constitutes your agreement to the Terms and Conditions and Privacy Policy linked below.

[Terms and Conditions](#)

[Privacy Policy](#)

[Notice of Privacy Practices](#)

[Notice of Nondiscrimination](#)

A single copy of these materials may be reprinted for noncommercial personal use only. "Mayo," "Mayo Clinic," "MayoClinic.org," "Mayo Clinic Healthy Living," and the triple-shield Mayo Clinic logo are trademarks of Mayo Foundation for Medical Education and Research.



This site complies with the HONcode standard for trustworthy health information: [verify here.](#)

© 1998-2018 Mayo Foundation for Medical Education and Research (MFMER). All rights reserved.