

# REVIEWED By Chris at 11:13 am, May 13, 2020

### Coronavirus Disease 2019 (COVID-19)


# Symptoms of Coronavirus

- The virus that causes COVID-19 is new. Therefore, anyone who has not already beer
- Anyone can have mild to severe symptoms.
- Older adults and people who have severe underlying medical conditions like hear seem to be at higher risk for developing more serious complications from COVID-19

## Watch for symptoms

People with COVID-19 have had a wide range of symptoms reported – ranging from mild symptoms to severe illness.

Symptoms may appear 2-14 days after exposure to the virus. People with these symptoms may have COVID-19:



#### Self-Checker

A guide to help you make decisions and s

- Cough
- Shortness of breath or difficulty breathing
- Fever
- Chills
- Muscle pain
- Sore throat
- New loss of taste or smell
- This list is not all possible symptoms. Other less common symptoms have been repositive symptoms like nausea, vomiting, or diarrhea.

#### When to Seek Emergency Medical Attention

Look for **emergency warning signs\*** for COVID-19. If someone is showing any of these **medical care immediately** 

- Trouble breathing
- Persistent pain or pressure in the chest
- New confusion
- Inability to wake or stay awake
- Bluish lips or face

\*This list is not all possible symptoms. Please call your medical provider for any other syconcerning to you.

**Call 911 or call ahead to your local emergency facility:** Notify the operator that you are who has or may have COVID-19.

# Caring for yourself or others


- How to protect yourself
- How to care for someone who is sick
- What to do if you are sick

### Printable Flyers



#### Stop the spread of germs

- English 🔼 [1 page]
- Spanish 🔼 [1 page]
- Chinese 🔼 [1 page]
- Korean 🔼 [1 page]
- Vietnamese 🔼 [1 page]



#### If you are sick

- English 📙 [1 page]
- Spanish 🔼 [1 page]
- Chinese 🔼 [1 page]
- Korean 🔼 [1 page]
- Vietnamese 🔼 [1 page]

Symptoms of COVID-19: ASL

### More Information

Older Adults Travelers

People at Higher Risk for Severe Illness Healthcare Professionals