


**COVID-19 Response**

Research advancements and the latest information about safe, in-person care.

**REVIEWED***By Chris at 3:33 pm, May 18, 2020***COVID-19 Resources**

Search Mayo Clinic

[Request an Appointment](#)[Find a Doctor](#)[Find a Job](#)[Give Now](#)[PATIENT CARE &  
HEALTH INFO](#)[DEPARTMENTS &  
CENTERS](#)[RESEARCH](#)[EDUCATION](#)[FOR MEDICAL  
PROFESSIONALS](#)[PRODU  
SERVICE](#)**Drugs and Supplements****Amitriptyline (Oral Route)**[Description and Brand  
Names](#)[Before Using](#)[Proper Use](#)[Precautions](#)[Side Effects](#)[Products and services](#)**Free E-newsletter****Side Effects**Drug information provided by: [IBM Micromedex](#)

Along with its needed effects, a medicine may cause some unwanted effects. Although not all of these side effects may occur, if they do occur they may need medical attention.

Check with your doctor immediately if any of the following side effects occur:

**Incidence not known**

- Abdominal or stomach pain
- agitation
- black, tarry stools
- bleeding gums
- blood in urine or stools
- blurred vision
- burning, crawling, itching, numbness, prickling, "pins and needles", or tingling feelings
- change in consciousness
- changes in patterns and rhythms of speech
- chest pain or discomfort
- chills

Mayo Clinic c  
products. Adv  
not-for-profit |

**Advertising &**[Policy](#) | [Op](#)**Mayo Clin**

Check out the  
offers on boo  
Clinic.

[FREE book o](#)[Live stronger](#)[The latest dig](#)[NEW – Guide](#)[The Mayo Cli](#)

**Subscribe to****Housecall**

Our general interest e-newsletter keeps you up to date on a wide variety of health topics.

[Sign up now](#)

- cold sweats
- coma
- confusion
- confusion about identity, place, and time
- continuing ringing, buzzing, or other unexplained noise in ears
- convulsions
- cool, pale skin
- cough or hoarseness
- dark urine
- decrease in frequency of urination
- decrease in urine volume
- decreased urine output
- difficulty in breathing
- difficulty in passing urine (dribbling)
- difficulty in speaking
- disturbance of accommodation
- disturbed concentration
- dizziness, faintness, or lightheadedness when getting up from a lying or sitting position suddenly
- double vision
- drooling
- dry mouth
- excitement
- fainting
- false beliefs that cannot be changed by facts
- fast, slow, or irregular heartbeat
- fear or nervousness
- fever with or without chills
- flushed, dry skin
- fruit-like breath odor
- general feeling of tiredness or weakness
- headache
- hearing loss
- high fever
- high or low blood pressure
- hostility

- inability to move arms, legs, or facial muscles
- inability to speak
- increased hunger
- increased need to urinate
- increased ocular pressure
- increased sweating
- increased thirst
- increased urination
- irritability
- lack of coordination
- lethargy
- light-colored stools
- lip smacking or puckering
- loss of appetite
- loss of balance control
- loss of bladder control
- loss of consciousness
- lower back or side pain
- mental depression or anxiety
- muscle spasm or jerking of all extremities
- muscle tightness
- muscle trembling, jerking, or stiffness
- muscle twitching
- nausea and vomiting
- nightmares or unusually vivid dreams
- overactive reflexes
- painful or difficult urination
- passing urine more often
- pinpoint red spots on skin
- poor coordination
- pounding in the ears
- puffing of cheeks
- rapid or worm-like movements of tongue
- rapid weight gain
- restlessness
- seeing, hearing, or feeling things that are not there

- seizures
- severe muscle stiffness
- shakiness and unsteady walk
- shivering
- shortness of breath
- shuffling walk
- sleeplessness
- slow speech
- slurred speech
- sore throat
- sores, ulcers, or white spots on lips or in mouth
- stiffness of limbs
- stupor
- sudden loss of consciousness
- sweating
- swelling of face, ankles, or hands
- swelling or puffiness of face
- swollen glands
- talking or acting with excitement you cannot control
- trouble in speaking
- trouble sleeping
- troubled breathing
- twisting movements of body pain or discomfort in arms, jaw, back, or neck
- unable to sleep
- uncontrolled chewing movements
- uncontrolled movements, especially of arms, face, neck, back, and legs
- unexplained weight loss
- unpleasant breath odor
- unsteadiness, trembling, or other problems with muscle control or coordination
- unusual bleeding or bruising
- unusual tiredness or weakness
- unusually pale skin
- upper right abdominal pain
- vomiting of blood

- weakness in arms, hands, legs, or feet
- weight gain or loss
- yellow eyes and skin

Get emergency help immediately if any of the following symptoms of overdose occur:

### **Symptoms of Overdose**

- Clumsiness
- drowsiness
- low body temperature
- muscle aches
- muscle weakness
- sleepiness
- tiredness
- weak or feeble pulse

Some side effects may occur that usually do not need medical attention. These side effects may go away during treatment as your body adjusts to the medicine. Also, your health care professional may be able to tell you about ways to prevent or reduce some of these side effects. Check with your health care professional if any of the following side effects continue or are bothersome or if you have any questions about them:

### **Incidence not known**

- Bigger, dilated, or enlarged pupils (black part of eye)
- black tongue
- bloating
- breast enlargement in females
- constipation
- decreased interest in sexual intercourse
- diarrhea
- hair loss, thinning of hair
- hives or welts
- inability to have or keep an erection
- increased in sexual ability, desire, drive, or performance
- increased interest in sexual intercourse
- increased sensitivity of eyes to light
- loss in sexual ability, desire, drive, or performance

- loss of sense of taste
- redness or other discoloration of skin
- severe sunburn
- skin rash
- swelling of testicles
- swelling of the breasts or breast soreness in males
- swelling of the parotid glands
- swelling or inflammation of the mouth
- unexpected or excess milk flow from breasts

Other side effects not listed may also occur in some patients. If you notice any other effects, check with your healthcare professional.

Call your doctor for medical advice about side effects. You may report side effects to the FDA at 1-800-FDA-1088.

### [Precautions](#)

Portions of this document last updated: April 01, 2020

Copyright © 2020 IBM Watson Health. All rights reserved. Information is for End User's use only and may not be sold, redistributed or otherwise used for commercial purposes.

[Share](#)

[Tweet](#)

---

## Other Topics in Patient Care & Health Info

[Healthy Lifestyle](#)

[Symptoms A-Z](#)

[Diseases & Conditions A-Z](#)

[Drugs & Supplements A-Z](#)

[Appointments](#)

[Patient & Visitor Guide](#)

[Patient Online Services](#)

Drugs & Supplements      Amitriptyline (Oral Route)

[REQUEST APPOINTMENT](#)

[GIVE NOW](#)

[CONTACT US](#)

[ABOUT MAYO CLINIC](#)

[EMPLOYEES](#)

[SITE MAP](#)

[A&A](#)

Any use of this site constitutes your agreement to the [Terms and Conditions](#) and [Privacy Policy](#) linked below.

[Terms and Conditions](#)

[Privacy Policy](#)

[Notice of Privacy Practices](#)

[Notice of Nondiscrimination](#)



This site complies with the [HONcode](#) standard for trustworthy health information: [verify here.](#)

© 1998-2020 Mayo Foundation for Medical Education and Research (MFMER). All rights reserved.