



Search bar with the text 'enter a search term' and a 'Search' button. Below the bar are links for 'Browse all medications A B C D E F G H I J K L M N O P Q R S T U V W X Y Z', 'Advanced Search', and 'Phonetic Search'.

- Home
- Drugs A to Z
- Pill Identifier
- Interactions Checker
- News & Alerts
- Health Professionals
- Community

- Mednotes
- Drugs A to Z
- Drugs by Condition
- Drugs by Class
- Side Effects
- Dosage
- Pregnancy
- Natural Products
- Vet Drugs
- Symptom Checker
- Harvard Health Topics

Home > Medrol Dosepak Consumer Information

Print Save or Share

Medrol Dosepak

Generic Name: [methylprednisolone](#) (METH il pred NIS oh lone)
Brand Names: *Medrol, Medrol Dosepak, MethylPREDNISolone Dose Pack*

Ads by Google

What Causes Heartburn?

[Prevacid24HR.com/causes](#) Find Out What Causes Heartburn And How To Avoid Heartburn.

Allergic Asthma Med

[www.LivingWithAllergicAsthma.com](#) Suffering from allergic asthma? Learn about a treatment option.

Find A Doctor Near You

[TurnToHelp.com](#) Painkiller Dependence Treatment in the Privacy of a Doctor's Office

What is Medrol Dosepak (methylprednisolone)?

Methylprednisolone is in a class of drugs called steroids. Methylprednisolone prevents the release of substances in the body that cause inflammation.

Methylprednisolone is used to treat many different conditions such as allergic disorders, skin conditions, ulcerative colitis, arthritis, lupus, psoriasis, or breathing disorders.

Methylprednisolone may also be used for other purposes not listed in this medication guide.

What is the most important information I should know about Medrol Dosepak (methylprednisolone)?

You should not use this medication if you are allergic to methylprednisolone, or if you have a fungal infection anywhere in your body. Before taking methylprednisolone, tell your [doctor](#) about all of your medical conditions,

ADVERTISEMENT

Femara® HCP Information
Find Patient Support Info on Femara® (letrozole) 2.5 mg tablets.
[Femara.com/HealthcareProviders](#)

DETROL® LA
Access Contraindication Info for DETROL LA (tolterodine tartrate).
[www.PfizerPro.com/DetrolLA](#)

Drug Side Effect Info
Find Instant Answers to All Your Drug Side Effect Questions on Bing™
[www.Bing.com](#)

Osteoporosis Information
Learn About a Treatment Option For Postmenopausal Osteoporosis.
[www.TreatMyOsteoporosis.com](#)



Ads by Google

Sign In or Register [Forgot password?](#)

username password Sign In

Related Medrol Dosepak Information

Rx Availability Prescription only **N/A** CSA Schedule Not a controlled drug

This document has been reviewed by one or more clinical specialists. See our [editorial policy](#) for more information.

Reviews Average User Rating

5 User Reviews 9.4 Rate it!

Related Pages

- [Detailed Side Effects](#)
- [Drug Interactions](#)
- [Pregnancy & Breastfeeding Support Group Q & A](#)

Drug Class

[Glucocorticoids](#)

ADVERTISEMENT

Related Drugs

Rheumatoid Arthritis [prednisone](#), [naproxen](#), [Humira](#), [meloxicam](#), [ibuprofen](#), [aspirin](#), [More...](#)

Asthma [prednisone](#), [Singulair](#), [methylprednisolone](#), [dexamethasone](#), [triamcinolone](#), [Decadron](#), [More...](#)

Osteoarthritis [prednisone](#), [naproxen](#), [Cymbalta](#), [meloxicam](#), [ibuprofen](#), [aspirin](#), [More...](#)

Inflammatory Conditions [prednisone](#), [methylprednisolone](#), [dexamethasone](#), [hydrocortisone](#), [Decadron](#), [More...](#)

[10 more conditions...](#)

and about all other medicines you are using. There are many other diseases that can be affected by steroid use, and many other medicines that can interact with steroids.

Your steroid medication needs may change if you have any unusual stress such as a serious illness, fever or infection, or if you have surgery or a medical emergency. Tell your doctor about any such situation that affects you during treatment.

Steroid medication can weaken your immune system, making it easier for you to get an infection or worsening an infection you already have or have recently had. Tell your doctor about any illness or infection you have had within the past several weeks.

Avoid being near people who are sick or have infections. Call your doctor for preventive treatment if you are exposed to chicken pox or measles. These conditions can be serious or even fatal in people who are using steroid medication.

Do not receive a "live" vaccine while you are taking methylprednisolone. Vaccines may not work as well while you are taking a steroid.

Do not stop using methylprednisolone suddenly, or you could have unpleasant withdrawal symptoms. Talk to your doctor about how to avoid withdrawal symptoms when stopping the medication. Carry an ID card or wear a medical alert bracelet stating that you are taking a steroid, in case of emergency.

What should I discuss with my healthcare provider before taking Medrol Dosepak (methylprednisolone)?

You should not use this medication if you are allergic to methylprednisolone, or if you have a fungal infection anywhere in your body.

Steroid medication can weaken your immune system, making it easier for you to get an infection. Steroids can also worsen an infection you already have, or reactivate an infection you recently had. Before taking this medication, tell your doctor about any illness or infection you have had within the past several weeks.

If you have any of these other conditions, you may need a dose adjustment or special tests to safely take methylprednisolone:

- liver disease (such as cirrhosis);
- kidney disease;
- a thyroid disorder;
- diabetes;
- a history of malaria;
- tuberculosis;
- osteoporosis;
- a muscle disorder such as myasthenia gravis;
- glaucoma or cataracts;
- [herpes infection](#) of the eyes;
- stomach [ulcers](#), ulcerative colitis, or diverticulitis;
- depression or mental illness;
- congestive heart failure; or
- high blood pressure

FDA pregnancy category C. It is not known whether this medication is harmful to an unborn baby. Before you take methylprednisolone, tell your doctor if you are pregnant or plan to [become pregnant](#) during treatment. Methylprednisolone can pass into breast milk and may harm a nursing baby. Do not use this medication without telling your doctor if you are breast-feeding a baby. Steroids can affect growth in children. Talk with your doctor if you think your child is not growing at a normal rate while using this medication.

Related Video



COPD

How COPD differs from asthma, and why it's so important to not smoke.

FDA Consumer Updates

- [FDA Intends to Remove Unapproved Drugs from Market](#)
- [Beware of Fraudulent Weight-Loss 'Dietary Supplements'](#)
- [A Guide to Safe Use of Pain Medicine](#)
- [The Possible Dangers of Buying Medicines Over the Internet](#)

[More FDA Updates...](#)

Get Updates by Email

Email me about Medrol Dosepak:

News and Warnings related to this drug

Also send the Drugs.com monthly newsletter
FDA Medwatch Alerts for all medications

Related News and Articles

[Health Tip: Things That Raise Your Risk of Thrush](#)

7 Aug 2010

-- Thrush is a yeast infection that forms in the mouth and on the tongue. The U.S. National Library of Medicine says the following factors can increase your ...

[Better Drug Emerges for Steroid-Induced Bone Loss](#)

1 Dec 2009

The drug teriparatide is better at increasing bone density and reducing vertebral fractures in patients with glucocorticoid-induced osteoporosis than the drug ...

Related Questions & Answers

- [What is the mg for medrol dosepak?](#)
- [Medrol Dosepak - Can a patient take methylpred on a daily basis?](#)

[▶ More Medrol Dosepak questions](#)

ADVERTISEMENT

[Lower Your Blood Pressure - The All Natural Way](#)

The only non-drug medical device clinically proven to lower blood pressure www.resperate.com

[\\$350,000 in Life Insurance](#)

Protect Your Family Today. Coverage as low as \$13.04/month. Free Quote Here BestQuoteMarket.com

[Weight Loss Medicine](#)

Immediate weight loss - reduces fat absorption - less fat

[Ads by Google](#)

[New Indication Approved](#)

See Full Prescribing Information
Afinitor®(everolimus) Tablets
www.Afinitor.com/HCP

[Rheumatoid Arthritis Meds](#)

An FDA-approved medication for people with rheumatoid arthritis.
MoreRAinfo.com

[High Blood Pressure & AMD](#)

Learn about wet age-related macular degeneration and risk factors.
www.AMDAwareness.org

Harvard Health Publications
SPECIAL HEALTH REPORT

Joint Pain Relief
Healing exercises for your shoulders, hips, knees, & ankles

Available in print with Free Shipping or instant download.

[Learn More](#) **Save 30%**

How should I take Medrol Dosepak (methylprednisolone)?

Take this medication exactly as it was prescribed for you. Do not take the medication in larger amounts, or take it for longer than recommended by your doctor. Follow the directions on your prescription label.

Your doctor may occasionally change your dose to make sure you get the best results from this medication.

Your steroid medication needs may change if you have unusual stress such as a serious illness, fever or infection, or if you have surgery or a medical emergency. Tell your doctor about any such situation that affects you.

This medication can cause you to have unusual results with certain medical tests. Tell any doctor who treats you that you are using methylprednisolone.

Do not stop using methylprednisolone suddenly, or you could have unpleasant withdrawal symptoms. Talk to your doctor about how to avoid withdrawal symptoms when stopping the medication. Carry an ID card or wear a medical alert bracelet stating that you are taking a steroid, in case of emergency. Any doctor, [dentist](#), or emergency medical care provider who treats you should know that you are taking steroid medication. Store methylprednisolone at room temperature away from moisture and heat.

What happens if I miss a dose?

If you miss a dose or forget to take your medicine, contact your doctor or pharmacist for instructions.

What happens if I overdose?

Seek emergency medical attention if you think you have received too much of this medicine. An overdose of methylprednisolone is not expected to produce life-threatening symptoms. However, long-term use of high steroid doses can lead to symptoms such as thinning skin, easy bruising, changes in the shape or location of body fat (especially in your face, neck, back, and waist), increased acne or facial hair, [menstrual](#) problems, impotence, or loss of interest in sex.

What should I avoid while taking Medrol Dosepak (methylprednisolone)?

Avoid being near people who are sick or have infections. Call your doctor for preventive treatment if you are exposed to chicken pox or measles. These conditions can be serious or even fatal in people who are using steroid medication.

Do not receive a "live" vaccine while you are being treated with methylprednisolone. Vaccines may not work as well while you are taking a steroid.

Avoid drinking alcohol while you are taking methylprednisolone.

Medrol Dosepak (methylprednisolone) side effects

Get emergency medical help if you have any of these signs of an allergic reaction: hives; difficulty breathing; swelling of your face, lips, tongue, or throat. Call your doctor at once if you have any of these serious side effects:

- problems with your vision;
- swelling, rapid weight gain, feeling short of breath;
- severe depression, unusual thoughts or behavior, seizure (convulsions);
- bloody or tarry stools, coughing up blood;
- pancreatitis (severe pain in your upper stomach spreading to your back, nausea and vomiting, fast heart rate);
- low potassium (confusion, uneven heart rate, extreme thirst, increased urination, leg discomfort, muscle weakness or limp feeling); or
- dangerously high blood pressure (severe headache, blurred vision, buzzing in your ears, anxiety, confusion, chest pain, shortness of breath, uneven heartbeats, seizure).

Less serious side effects may include:

- sleep problems (insomnia), mood changes;
- acne, dry skin, thinning skin, bruising or discoloration;
- slow wound healing;
- increased sweating;
- headache, dizziness, spinning sensation;
- nausea, stomach pain, bloating; or
- changes in the shape or location of body fat (especially in your arms, legs, face, neck, breasts, and waist).

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

[Ads by Google](#)

[Asthma Treatment](#)

Find Info On Asthma Treatment. Get Advice From Experts & Peers.

[DoTellAll.com](#)

[Fibromyalgia Symptoms](#)

Find Latest Tips & Diet Guidelines + Fibromyalgia Exercises for Pain.

[www.fibromaxtoday.com](#)

[Sinus Infection Treatment](#)

All You Need to Know About Sinus Infection Treatment.

[www.SymptomFind.com](#)

What other drugs will affect Medrol Dosepak (methylprednisolone)?

There are many other medicines that can interact with steroids. Below is only a partial list of these medicines:

- aspirin (taken on a daily basis or at high doses);
- a diuretic (water pill);
- a blood thinner such as warfarin (Coumadin);
- cyclosporine (Gengraf, Neoral, Sandimmune);
- insulin or diabetes medications you take by [mouth](#);
- ketoconazole (Nizoral);
- rifampin (Rifadin, Rifater, Rifamate, Rimactane); or

- seizure medications such as phenytoin (Dilantin) or phenobarbital (Luminal, Solfoton).

This list is not complete and there may be other drugs that can interact with methylprednisolone. Tell your doctor about all the prescription and over-the-counter medications you use. This includes vitamins, minerals, herbal products, and drugs prescribed by other doctors. Do not start using a new medication without telling your doctor.

More Medrol Dosepak resources

- [Medrol Dosepak Side Effects](#) (in more detail)
- [Medrol Dosepak Use in Pregnancy & Breastfeeding](#)
- [Medrol Dosepak Drug Interactions](#)
- [Medrol Dosepak Support Group](#)
- [5 Reviews for Medrol Dosepak - Add your own review/rating](#)

- Med Facts** [A-methapred Solution MedFacts Consumer Leaflet](#) (Wolters Kluwer)
- Professional** [Depo-Medrol Prescribing Information](#) (FDA)
- Med Facts** [Depo-Medrol Suspension MedFacts Consumer Leaflet](#) (Wolters Kluwer)
- Professional** [Medrol Prescribing Information](#) (FDA)
- Med Facts** [Medrol MedFacts Consumer Leaflet](#) (Wolters Kluwer)
- Professional** [Methylprednisolone Monograph](#) (AHFS DI)
- Professional** [Methylprednisolone Professional Patient Advice](#) (Wolters Kluwer)
- Professional** [Solu-Medrol Prescribing Information](#) (FDA)

Compare Medrol Dosepak with other medications

- [Adrenogenital Syndrome](#)
- [Asthma, acute](#)
- [Atopic Dermatitis](#)
- [Gout, Acute](#)
- [Immunosuppression](#)
- [Neuralgia](#)
- [Rheumatoid Arthritis](#)
- [Asthma](#)
- [Asthma, Maintenance](#)
- [Dermatologic Lesion](#)
- [Hay Fever](#)
- [Inflammatory Conditions](#)
- [Osteoarthritis](#)
- [Shock](#)

Where can I get more information?

- Your pharmacist can provide more information about methylprednisolone.

 [Printable Version](#)  [Email](#) [Recommend](#)  [Tweet](#)  [Save or Share](#)

[Ads by Google](#)

[Bladder Control Problems](#)

Learn about experiences of others who explored options to treat OAB.

www.everyday-freedom.com

[Blood Pressure - No Drugs](#)

Discover what the Chinese have used for centuries for blood pressure.

www.elixirindustry.com

- Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.
- Every effort has been made to ensure that the information provided by Cerner Multum, Inc. ('Multum') is **accurate**, up-to-date, and complete, but no guarantee is made to that effect. Drug information contained herein may be time sensitive. Multum information has been compiled for use by healthcare practitioners and consumers in the United States and therefore Multum does not warrant that uses outside of the United States are appropriate, unless specifically indicated otherwise. Multum's drug information does not endorse drugs, diagnose patients or recommend therapy. Multum's drug information is an informational resource designed to assist licensed healthcare practitioners in caring for their patients and/or to serve consumers viewing this service as a supplement to, and not a substitute for, the expertise, skill, knowledge and judgment of

healthcare practitioners. The absence of a warning for a given drug or drug combination in no way should be construed to indicate that the drug or drug combination is safe, effective or appropriate for any given patient. Multum does not assume any responsibility for any aspect of healthcare administered with the aid of information Multum provides. The information contained herein is not intended to cover all possible uses, directions, precautions, warnings, drug interactions, allergic reactions, or adverse effects. If you have questions about the drugs you are taking, check with your doctor, nurse or pharmacist.

Copyright 1996-2006 Cerner Multum, Inc. Version: 5.06. Revision Date: 12/15/2010 5:01:39 PM.

[Ads by Google](#)

[Side Effects](#)

[Side Effects](#)

Support

About Drugs.com

Your Privacy

- [Advertise With Us](#)
- [Frequently Asked Questions](#)
- [Pharmaceutical Companies](#)
- [Widgets for your Website](#)
- [Content Submissions](#)
- [About Drugs.com](#)
- [Contact Us](#)
- [Sitemap](#)

Follow us on:  

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines & natural products. This material is provided for educational purposes only and is not to be used for medical advice, diagnosis or treatment.

Data sources include Micromedex™ (updated Feb 3rd, 2011), Cerner Multum™ (updated Mar 18th, 2011), Wolters Kluwer™ (updated Mar 5th, 2011) and others. To view content sources and attributions, refer to our [editorial policy](#).

Copyright © 2000-2011 Drugs.com. All rights reserved.



We comply with the HONcode standard for trustworthy health information. [Verify here](#)



Ad Choices

[Terms of Use](#) · [Privacy Policy](#)

(web2)