

ADVERTISEMENT

follow us on
twitter
click here

Q enter a search term

Search

Browse all medications [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [Advanced Search](#) [Phonetic Search](#)

Drugs A to Z

Pill Identifier

Interactions Checker

News & Alerts

Health Professionals

Community

Mednotes

[Drugs A to Z](#) [Drugs by Condition](#) [Drugs by Class](#) [Side Effects](#) [Dosage](#) [Pregnancy](#) [Natural Products](#) [Vet Drugs](#) [Symptom Checker](#) [Harvard Health Topics](#) [Home](#) > [Drugs by Condition](#) > [H](#) > [High Blood Pressure](#) > Toprol-XL Consumer Information [Print](#) [Save or Share](#)

Toprol-XL

Generic Name: metoprolol (me TOE pro lol)

Brand names: *Lopressor*, *Metoprolol Succinate ER*, *Toprol-XL*, *Metoprolol Tartrate*

Ads by Google

[Heartburn Triggering Food](#)[Prevacid24HR.com/food](#) Learn Which Foods Trigger Heartburn & How To Avoid Them.[Drug Side Effect Info](#)[www.Bing.com](#) Find Instant Answers to All Your Drug Side Effect Questions on Bing™[I Had High Blood Pressure](#)[RESPeRATE.com](#) Now it's down to 120/75. Find out how I did it without drugs

What is Toprol-XL?

Toprol-XL is in a group of drugs called beta-blockers. Beta-blockers affect the heart and circulation (blood flow through arteries and veins).

Toprol-XL is used to treat angina (chest pain) and hypertension (high blood pressure). It is also used to treat or prevent heart attack.

Toprol-XL may also be used for other purposes not listed in this medication guide.

Important information about Toprol-XL

You should not use Toprol-XL if you are allergic to metoprolol, or if you have a serious heart problem such as heart block, sick sinus syndrome, or slow heart rate.

Before taking Toprol-XL, tell your doctor if you have congestive heart failure, low blood pressure, circulation problems, pheochromocytoma, asthma or other breathing problems, diabetes, depression, liver or kidney disease, a thyroid disorder, or severe allergies.

Toprol-XL may impair your thinking or reactions. Be careful if you drive or do anything that

ADVERTISEMENT

Sign In or Register

[Forgot password?](#)

username

password

Sign In

Related Toprol-XL Information

10+ [Approval History](#)
Tablet, Extended Release; Oral FDA approved 1992**C** [Pregnancy Category](#)
Risk cannot be ruled out**N/A** [CSA Schedule](#)
Not a controlled drug**Rx** [Availability](#)
Prescription only

Reviews Average User Rating

27 User Reviews 7.8 Rate it!

Related Pages

[Detailed Side Effects](#)
[Drug Interactions](#)
[Drug Images](#)[Pregnancy & Breastfeeding](#)
[Dosage Information](#)
[Support Group Q & A](#)

Drug Class

[Cardioselective beta blockers](#)

ADVERTISEMENT



Related Drugs

High Blood Pressure
[lisinopril](#),
[hydrochlorothiazide](#),
[metoprolol](#), [amlodipine](#),
[atenolol](#), [clonidine](#), [More...](#)Heart Failure
[lisinopril](#), [metoprolol](#),
[amlodipine](#), [furosemide](#),
[digoxin](#), [spironolactone](#),
[More...](#)Angina
[metoprolol](#), [amlodipine](#),
[atenolol](#), [aspirin](#),
[propranolol](#), [carvedilol](#),
[More...](#)Supraventricular Tachycardia
[metoprolol](#), [atenolol](#),
[diltiazem](#), [verapamil](#),
[Lopressor](#), [Cardizem](#),
[More...](#)

3 more conditions...

Related Video



[Hypertension](#)

What does 140 over 90 mean?
Learn about high blood pressure numbers.

Click to Play

requires you to be alert. Drinking alcohol can increase certain side effects of Toprol-XL. Do not stop taking Toprol-XL without first talking to your doctor. Stopping suddenly may make your condition worse. If you need surgery, tell the surgeon ahead of time that you are using Toprol-XL.

Toprol-XL is only part of a complete program of treatment for hypertension that may also include [diet](#), exercise, and weight control. Follow your diet, medication, and exercise routines very closely if you are being treated for hypertension.

If you are being treated for high blood pressure, keep using Toprol-XL even if you feel well. High blood pressure often has no symptoms. You may need to use blood pressure medication for the rest of your life.

Before taking Toprol-XL

You should not use Toprol-XL if you are allergic to metoprolol, or if you have a serious heart problem such as heart block, sick sinus syndrome, or slow heart rate.

If you have any of these other conditions, you may need a dose adjustment or special tests to safely use Toprol-XL:

- congestive heart failure;
- low blood pressure;
- pheochromocytoma;
- problems with circulation (such as Raynaud's syndrome);
- asthma, bronchitis, emphysema;
- diabetes;
- depression;
- liver or kidney disease;
- a thyroid disorder; or
- severe allergies.

FDA [pregnancy](#) category C. It is not known whether Toprol-XL will harm an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant while using this medication. Metoprolol can pass into breast milk and may harm a nursing baby. Do not use Toprol-XL without telling your doctor if you are breast-feeding a baby.

See also: [Toprol-XL pregnancy and breastfeeding warnings](#) (in more detail)

Ads by Google

[Blood Pressure - No Drugs](#)

Discover what the Chinese have used for centuries for blood pressure.

www.elixirindustry.com

[Femara® HCP Information](#)

Find Patient Support Info on Femara® (letrozole) 2.5 mg tablets.

Femara.com/HealthcareProviders

[Treatment For Depresison](#)

Cure Your Depression With Effective Treatments.

Start Your Recovery.

Topicologist.com

How should I take Toprol-XL?

Take Toprol-XL exactly as prescribed by your doctor. Do not take in larger or smaller amounts or for longer than recommended. Follow the directions on your prescription label.

Take Toprol-XL at the same time every day.



Drug Images



Toprol-XL 25 mg



Toprol-XL 50 mg

[View all 4 images](#)

Get Updates by Email

Email me about Toprol-XL:

News and Warnings related to this drug

Also send the Drugs.com monthly newsletter
FDA Medwatch Alerts for all medications

ADVERTISEMENT

[Lower Your Blood Pressure - The All Natural Way](#)

The only non-drug medical device clinically proven to lower blood pressure www.resperate.com

[\\$350,000 in Life Insurance](#)

Protect Your Family Today. Coverage as low as \$13.04/month. [Free Quote Here](#) BestQuoteMarket.com

[Weight Loss Medicine](#)

Immediate weight loss - reduces fat absorption - less fat means less pounds www.pharmcom.com

Related News and Articles

[In Some Patients, Hypertension Meds Raise Blood Pressure](#)

25 Aug 2010

Popular prescription medications taken to control hypertension may actually boost blood pressure in a "statistically significant" percentage of patients, ...

[Heart Drugs Safe for Lungs, Study Finds](#)

24 May 2010

MONDAY, May 24 -- Medical tradition says that the beta blockers used to treat heart disease shouldn't be given

Toprol-XL should be taken with [food](#) or just after a meal. A Toprol XL tablet can be divided in half if your doctor has told you to do so. The half tablet should be swallowed whole, without chewing or crushing. Chewing or crushing the pill could cause too much of the drug to be released at one time. Do not skip doses or stop taking Toprol-XL without first talking to your doctor. Stopping suddenly may make your condition worse.

Your blood pressure will need to be checked often. Visit your doctor regularly.

If you need surgery, tell the surgeon ahead of time that you are using Toprol-XL.

Toprol-XL is only part of a complete program of treatment for hypertension that may also include diet, exercise, and weight control. Follow your diet, medication, and exercise routines very closely if you are being treated for hypertension.

If you are being treated for high blood pressure, keep using Toprol-XL even if you feel well. High blood pressure often has no symptoms. You may need to use blood pressure medication for the rest of your life.

Store Toprol-XL at room temperature away from moisture and heat.

See also: [Toprol-XL dosage](#) (in more detail)

What happens if I miss a dose?

Take the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose. Do not take extra medicine to make up the missed dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

Overdose symptoms may include slow or uneven heartbeats, shortness of breath, bluish-colored fingernails, dizziness, weakness, or fainting.

What should I avoid while taking Toprol-XL?

Toprol-XL may impair your thinking or reactions. Be careful if you drive or do anything that requires you to be alert. Drinking alcohol can increase certain side effects of Toprol-XL.

Ads by Google

[Thyroid Hormone MDs](#)

The Most Highly Trained Physicians in Bioidentical Thyroid Hormones.

www.BodyLogicMD.com/Thyroid-Hormone

["How I Regrew My Hair"](#)

Read my story about how I grew my hair back after losing so much.

Stimulair.com

[Darvocit Heart Claims](#)

Helping Victims of Darocit Heart Arrhythmia; Attack; Stroke; Death

DarvocetHeartClaims.com

Toprol-XL side effects

Get emergency medical help if you have any of these signs of an allergic reaction to Toprol-XL: hives; difficulty breathing; swelling of your face, lips, tongue, or throat. Call your doctor at once if you have any of these serious side effects:

- chest pain, pounding heartbeats or fluttering in your chest;
- feeling light-headed, fainting;
- feeling short of breath, even with mild exertion;

to people who also have severe lung disease, but ...

[Beta Blockers May Slow Spread of Breast Cancer](#)

27 Mar 2010

Treatment with blood pressure-lowering drugs known as beta blockers appears to help reduce the spread of breast cancer in women, a team of British and German ...

[More Evidence That Swings in Blood Pressure Raise Stroke Risk](#)

15 Mar 2010

Following on recent, similar research, a large five-year study points to fluctuations in blood pressure over time as a key indicator of stroke risk. In the ...

[Health Tip: Beta Blockers May Have Side Effects](#)

4 Feb 2010

-- Beta blockers often are prescribed to treat various heart conditions, including congestive heart failure and an irregular heartbeat. They also may be used ...

[View more...](#)

Help and Support

Looking for answers? [Ask a question](#) or go join the [Toprol-XL support group](#) to connect with others who have similar interests.

Harvard Health Publications
SPECIAL HEALTH REPORT

Hypertension:
Controlling the 'silent killer'

Available in print with Free Shipping or instant download.

[Learn More](#) **Save 30%**

- swelling of your hands or feet;
- nausea, upper stomach pain, itching, loss of appetite, dark urine, clay-colored stools, jaundice (yellowing of the skin or eyes);
- easy bruising, unusual bleeding (nose, [mouth](#), vagina, or rectum), purple or red pinpoint spots under your skin;
- wheezing, trouble breathing;
- depression, confusion, memory problems, hallucinations; or
- cold feeling in your hands and feet.

Less serious Toprol-XL side effects may include:

- dry mouth, [constipation](#), heartburn, vomiting, diarrhea;
- decreased sex drive, impotence, or difficulty having an orgasm;
- headache, drowsiness, tired feeling;
- sleep problems (insomnia); or
- anxiety, nervousness.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

See also: [Toprol-XL side effects](#) (in more detail)

What other drugs will affect Toprol-XL?

Before taking Toprol-XL, tell your doctor about all other medicines you are using, especially:

- digoxin (digitalis, Lanoxin);
- clonidine (Catapres);
- ritonavir (Norvir);
- terbinafine (Lamisil);
- a diuretic (water pill);
- cold medicines, stimulant medicines, or diet pills;
- anti-malaria medications such as chloroquine (Aralen) or hydroxychloroquine (Plaquenil, Quineprox);
- medicine to treat depression or mental illness, such as bupropion (Wellbutrin, Zyban), fluoxetine (Prozac, Sarafem), paroxetine (Paxil), thioridazine (Mellaril), and others;
- an MAO inhibitor such as isocarboxazid (Marplan), tranylcypromine (Parnate), phenelzine (Nardil), or selegiline (Eldepryl, Emsam);
- a diabetes medication such as insulin, glyburide (Diabeta, Micronase, Glynase), glipizide (Glucotrol), chlorpropamide (Diabinese), or metformin (Glucophage);
- a heart medication such as nifedipine (Procardia, Adalat), quinidine (Quinaglute, Quinidex), propafenone (Rythmol), reserpine (Serpasil), verapamil (Calan, Verelan, Isoptin), diltiazem (Cartia, Cardizem); or
- medicine for asthma or other breathing disorders, such as albuterol (Ventolin, Proventil), bitolterol (Tornalate), metaproterenol (Alupent), pirbuterol (Maxair), terbutaline (Brethaire, Brethine, Bricanyl), and theophylline (Theo-Dur, Theolair).

This list is not complete and other drugs may interact with Toprol-XL. Tell your doctor about all medications you use. This includes prescription, over-the-counter, [vitamin](#), and herbal products. Do not start a new medication without telling your doctor.

More Toprol-XL resources

- [Toprol-XL Side Effects](#) (in more detail)
- [Toprol-XL Dosage](#)
- [Toprol-XL Use in Pregnancy & Breastfeeding](#)
- [Drug Images](#)
- [Toprol-XL Drug Interactions](#)
- [Toprol-XL Support Group](#)

- [27 Reviews for Toprol-XL](#) - [Add your own review/rating](#)

Professional [Toprol-XL Prescribing Information](#) (FDA)

Professional [Metoprolol Prescribing Information](#) (FDA)

Professional [Metoprolol Professional Patient Advice](#) (Wolters Kluwer)

Advanced [Lopressor Advanced Consumer](#) (Micromedex) - Includes Dosage Information

Professional [Lopressor Prescribing Information](#) (FDA)

Med Facts [Lopressor MedFacts Consumer Leaflet](#) (Wolters Kluwer)

Professional [Metoprolol Succinate Monograph](#) (AHFS DI)

Compare Toprol-XL with other medications

- [Angina](#)
- [Atrial Fibrillation](#)
- [Heart Failure](#)
- [Left Ventricular Dysfunction](#)
- [Supraventricular Tachycardia](#)
- [Angina Pectoris Prophylaxis](#)
- [Benign Essential Tremor](#)
- [High Blood Pressure](#)
- [Mitral Valve Prolapse](#)

Where can I get more information?

- Your pharmacist can provide more information about Toprol-XL.

- Every effort has been made to ensure that the information provided is **accurate**, up-to-date, and complete, but no guarantee is made to that effect. Drug information contained herein may be time sensitive. Multum's drug information is an informational resource designed to assist licensed healthcare practitioners in caring for their patients and/or to serve consumers viewing this service as a supplement to, and not a substitute for, the expertise, skill, knowledge and judgment of healthcare practitioners. The absence of a warning for a given drug or drug combination in no way should be construed to indicate that the drug or drug combination is safe, effective or appropriate for any given patient. The information contained herein is not intended to cover all possible uses, directions, precautions, warnings, drug interactions, allergic reactions, or adverse effects.

Copyright 1996-2011 Cerner Multum, Inc. Version: 14.01. Revision Date: 12/01/2010 10:03:41 PM.

 [Printable Version](#)  [Email](#) [Recommend](#)  [Tweet](#)  [Save or Share](#)

[Ads by Google](#)

[Drug Safety Information](#)

Get Specialized Resources At The Official Pfizer Professional Site.

www.PfizerPro.com/Relpax

[Drug & Alcohol Treatment](#)

Change Your Life In A Safe Retreat. Call Us 24/7. Insurance Welcome.

www.TheTreatmentCenter.com

[Ads by Google](#) [Drug Rehab](#) [Drug Treatment](#) [Drug Recovery](#) [Holistic Drug](#)

Support

About Drugs.com

Your Privacy

[Advertise With Us](#)
[Frequently Asked Questions](#)
[Pharmaceutical Companies](#)

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines & natural products. This material is provided for educational purposes only and is not to be used for medical advice,



[Widgets for your Website](#)
[Content Submissions](#)
[About Drugs.com](#)
[Contact Us](#)
[Sitemap](#)

Follow us on:  

diagnosis or treatment.

Data sources include Micromedex™ (updated Feb 3rd, 2011), Cerner Multum™ (updated Mar 18th, 2011), Wolters Kluwer™ (updated Mar 5th, 2011) and others. To view content sources and attributions, refer to our [editorial policy](#).

Copyright © 2000-2011 Drugs.com. All rights reserved.



We comply with the HONcode standard for trustworthy health information.

[Verify here](#)



Ad Choices

[Terms of Use](#) · [Privacy Policy](#)

(web3)