

Severe Allergies and Anaphylaxis?

Learn about managing severe allergies and the life-saving benefits of emergency epinephrine. [Watch the video](#) ▶▶▶



LIVING WITH ADVANCING MS?

[Learn more](#) ▶



Browse all medications [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [Advanced Search](#) [Phonetic Search](#)

- Home
- Drugs A-Z
- Pill Identifier
- Interactions Checker
- News
- Health Professionals
- Q & A
- Mednotes
- Apps

Home → Conditions → COPD, Acute → Zithromax Z-Pak → Consumer Information

[Print](#) [Share](#)

[Sign In](#) or [Register](#)

[Get Expert Advice](#) for controlling your Severe Allergies

Zithromax Z-Pak

Generic Name: [azithromycin](#) (a ZITH roe MYE sin)
 Brand Name: *Azithromycin 3 Day Dose Pack, Azithromycin 5 Day Dose Pack, Zithromax, Zithromax TRI-PAK, Zithromax Z-Pak, Zmax*

- Overview
- Side Effects
- Dosage
- Interactions
- For Professionals
- More

Stop Drinking Now

[declinol.com](#)

30-Day Proven Craving Reduction. New Way To Help Drinking Problems!



What is Zithromax Z-Pak (azithromycin)?

Azithromycin is an antibiotic that fights bacteria.

Azithromycin is used to treat many different types of infections caused by bacteria, such as respiratory infections, skin infections, ear infections, and sexually transmitted diseases.

Azithromycin may also be used for purposes not listed in this medication guide.

What is the most important information I should know about Zithromax Z-Pak (azithromycin)?

You should not use this medication if you have ever had jaundice or liver problems caused by taking azithromycin.

ADVERTISMENT

Severe Allergies?
 Learn about the life-saving benefits of emergency epinephrine.
[Watch the video](#) ▶▶▶

Related Information

- Rx** **Availability**
Prescription only
- B** **Pregnancy Category**
No proven risk in humans
- N/A** **CSA Schedule**
Not a controlled drug
- Approval History**
Drug history at FDA

SEVERE ALLERGIES:
 What You Need to Know [▶](#)

Reviews

62 User Reviews

Average User Rating

7.9 [Rate it!](#)

Manufacturer

Pfizer Inc

Drug Class

Macrolides

Related Drugs

Chlamydia Infection
[amoxicillin](#), [doxycycline](#),
[Levaquin](#), [azithromycin](#),
[levofloxacin](#), [erythromycin](#),
 More...

Bacterial Infection
[ciprofloxacin](#), [amoxicillin](#),
[doxycycline](#),
[metronidazole](#),
[clindamycin](#), [cephalexin](#),
 More...

ADVERTISMENT

Severe Allergies?
 Learn about the life-saving benefits of emergency

[Get Expert Advice on Severe Allergies: Symptoms, prevention, and more](#) [Learn More](#)

What should I discuss with my healthcare provider before taking Zithromax Z-Pak (azithromycin)?

You should not use this medication if you have ever had jaundice or liver problems caused by taking azithromycin. You should not use



[amoxicillin](#), [clindamycin](#), [Augmentin](#), [Bactrim](#), More...

Bronchitis
[ciprofloxacin](#), [amoxicillin](#),
[doxycycline](#), [Augmentin](#),
[Bactrim](#), More...

[▶ 28 more conditions...](#)

[Watch the video](#)

07/29/14



Always get your pet's drug and dose recommendation from the veterinarian.

azithromycin if you are allergic to it or to similar drugs such as clarithromycin, erythromycin, or telithromycin.

To make sure azithromycin is safe for you, tell your doctor if you have:

- liver disease;
- kidney disease;
- myasthenia gravis;
- a heart rhythm disorder; or
- a history of Long QT syndrome.

FDA pregnancy category B. This medication is not expected to be harmful to an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant during treatment.

It is not known whether azithromycin passes into breast milk or if it could harm a nursing baby. Tell your doctor if you are breast-feeding a baby.

Do not give this medicine to a child younger than 6 months old.

Older adults may be more likely to have side effects on heart rhythm, including a life-threatening fast heart rate.

"I Cured My Acid Reflux"



startaloecure.com/Heartburn

(1) Little Secret to Stopping Acid Reflux & Heartburn - Read More

[Substance Abuse Treatment](#)

[Rehabilitation](#)

How should I take Zithromax Z-Pak (azithromycin)?

Follow all directions on your prescription label. Do not take this medicine in larger or smaller amounts or for longer than recommended. The dose and length of treatment with azithromycin may not be the same for every type of infection.

You may take most forms of azithromycin with or without food.

Take Zmax extended release liquid (oral suspension) on an empty stomach, at least 1 hour before or 2 hours after a meal.

To use the oral suspension single dose packet: Open the packet and pour the medicine into 2 ounces of water. Stir this mixture and drink all of it right away. Do not save for later use. To make sure you get the entire dose, add a little more water to the same glass, swirl gently and drink right away.

Throw away any mixed Zmax oral suspension that has not been used within 12 hours.

Shake the oral suspension (liquid) well just before you measure a dose. Measure the liquid with a special dose-measuring spoon or medicine cup. If you do not have a dose-measuring device, ask your pharmacist for one.

Watch the video

FDA Consumer Updates

- [Fighting Allergy Season with Medications](#)
 - [Medications for High Blood Pressure](#)
 - [Irritable Bowel Syndrome Treatments Aren't One-Size-Fits-All](#)
 - [Fighting Diabetes' Deadly Impact on Minorities](#)
- [More FDA updates...](#)

Zithromax (azithromycin) Images



[View all 4 images](#)

Get Updates by Email

Email me:

- News and Warnings related to this drug
- FDA Medwatch Alerts for all Medications
- News Roundup Daily

Related News and Articles

[Aqua Pharmaceuticals Announces FDA Approval of Acticlate \(doxycycline hyclate USP\) Tablets](#)

July 28, 2014

West Chester, Pa. — July 28, 2014 West Chester-based Aqua Pharmaceuticals, an Almirall company, today announces the U.S. Food and Drug Administration (FDA)...

[Tonsillectomy for Sleep Apnea May Trigger Weight Gain](#)

July 28, 2014

Tonsillectomies are commonly done to relieve sleep apnea in children, but a new study confirms that the treatment can speed kids' weight gain -- especially if...

[Tetraphase Pharmaceuticals Completes Enrollment of IGNITE 1 Eravacycline Phase 3 Clinical Trial](#)

July 28, 2014

Tetraphase Pharmaceuticals, Inc. (NASDAQ:TTPH) announced today that it has completed patient enrollment in IGNITE 1, its Phase 3 clinical trial evaluating the...

Related Questions & Answers

Use this medication for the full prescribed length of time. Your symptoms may improve before the infection is completely cleared. Skipping doses may also increase your risk of further infection that is resistant to antibiotics. Azithromycin will not treat a viral infection such as the common cold or flu.

Store at room temperature away from moisture and heat. Throw away any unused **liquid** medicine after 10 days.

What happens if I miss a dose?

Take the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose. Do not take extra medicine to make up the missed dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while taking Zithromax Z-Pak (azithromycin)?

Do not take antacids that contain aluminum or magnesium within 2 hours before or after you take azithromycin. This includes Acid Gone, Aldroxicon, Alternagel, Di-Gel, Gaviscon, Gelusil, Genaton, Maalox, Maldroxal, Milk of Magnesia, Mintox, Mylagen, Mylanta, Pepcid Complete, Roloids, Rulox, and others. These antacids can make azithromycin less effective when taken at the same time.

Antibiotic medicines can cause diarrhea, which may be a sign of a new infection. If you have diarrhea that is watery or bloody, stop taking azithromycin and call your doctor. Do not use anti-diarrhea medicine unless your doctor tells you to.

Avoid exposure to sunlight or tanning beds. Azithromycin can make you sunburn more easily. Wear protective clothing and use sunscreen (SPF 30 or higher) when you are outdoors.

Zithromax Z-Pak (azithromycin) side effects

Get emergency medical help if you have any of these **signs of an allergic reaction**: hives; difficulty breathing; swelling of your face, lips, tongue, or throat.

Call your doctor at once if you have:

- diarrhea that is watery or bloody;
- headache with chest pain and severe dizziness, fainting, fast or pounding heartbeats;
- nausea, upper stomach pain, itching, loss of appetite, dark urine, clay-colored stools, jaundice (yellowing of the skin or eyes); or
- severe skin reaction -- fever, sore throat, swelling in your face or tongue, burning in your eyes, skin pain, followed by a red or purple skin rash that spreads (especially in the face or upper body) and causes blistering and peeling.

Common side effects may include:

- mild diarrhea;
- mild stomach pain or upset;
- dizziness; or
- vaginal itching or discharge.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

See also: [Side effects](#) (in more detail)

- [Zithromax Z-Pak - Is it safe to drink alcohol while using?](#)
- [Will zithromax help me if my bronchitis is viral and not bacterial?](#)
- [Zithromax Z-Pak - Is it safe if you are trying to get pregnant?](#)
- [Is Zithromax Z-Pak effective if you have a virus?](#)
- [Zithromax Z-Pak - Will a Z-pak treat UTI?](#)

[▶ Read more questions...](#)

SAVE UP TO 80%
on your prescriptions



Drugs.com
Know more. Be sure.

**FREE Drug
Discount Card**

Download Now 

[4 Stages Of COPD](#)



Learn More About COPD Now. Signs, Symptoms & Treatments Here!

[Dental Implant Warning](#)



[Do You Have OCD?](#)

What other drugs will affect Zithromax Z-Pak (azithromycin)?

Many drugs can interact with azithromycin. Not all possible interactions are listed here. Tell your doctor about all your medications and any you start or stop using during treatment with azithromycin, especially:

- droperidol;
- methadone;
- nelfinavir;
- another antibiotic--clarithromycin, erythromycin, moxifloxacin, pentamidine;
- a blood thinner (warfarin, Coumadin);
- cancer medicine--arsenic trioxide, vandetanib;
- an antidepressant--citalopram, escitalopram;
- anti-malaria medication--chloroquine, halofantrine;
- heart rhythm medicine--amiodarone, disopyramide, dofetilide, flecainide, ibutilide, procainamide, quinidine, sotalol; or
- medicine to treat a psychiatric disorder--chlorpromazine, haloperidol, mesoridazine, pimozide, thioridazine.

This list is not complete and many other drugs can interact with azithromycin. This includes prescription and over-the-counter medicines, vitamins, and herbal products. Give a list of all your medicines to any healthcare provider who treats you.

 [Google](#)  [Facebook](#)  [Twitter](#)  [Print](#)  [Email](#)  [Add to Mednotes](#)

Next Page → [Side Effects](#)

More about Zithromax (azithromycin)

- [Side Effects](#)
- [During Pregnancy](#) or [Breastfeeding](#)
- [Dosage Information](#)
- [Drug Images](#)
- [Drug Interactions](#)
- [Support Group](#)
- [Pricing & Coupons](#)
- [62 Reviews](#) - [Add your own review/rating](#)
- [Generic Availability](#)

Consumer resources

- [Zithromax](#)
- [Zithromax single-dose packet](#)
- [Zithromax suspension](#)
- [Zithromax tablets](#)
- [Zithromax TRI-PAK](#)

- [More \(4\) »](#)
- **Other brands:** [Azithromycin Dose Pack](#), [Zmax](#)

Professional resources

- [Zithromax](#) (FDA)
- [Azithromycin](#) (AHFS Monograph)

Related treatment guides

- [Chlamydia Infection](#)
- [Bacterial Infection](#)
- [Bronchitis](#)
- [STD Prophylaxis](#)
- [Sinusitis](#)
- [More \(27\) »](#)

Where can I get more information?

- Your pharmacist can provide more information about azithromycin.

Drug & Alcohol Rehab

 stgregoryctr.com

Affordable Leading Residential Rehab. Non-12 Step Program



Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Disclaimer: Every effort has been made to ensure that the information provided by Cerner Multum, Inc. ('Multum') is accurate, up-to-date, and complete, but no guarantee is made to that effect. Drug information contained herein may be time sensitive. Multum information has been compiled for use by healthcare practitioners and consumers in the United States and therefore Multum does not warrant that uses outside of the United States are appropriate, unless specifically indicated otherwise. Multum's drug information does not endorse drugs, diagnose patients or recommend therapy. Multum's drug information is an informational resource designed to assist licensed healthcare practitioners in caring for their patients and/or to serve consumers viewing this service as a supplement to, and not a substitute for, the expertise, skill, knowledge and judgment of healthcare practitioners. The absence of a warning for a given drug or drug combination in no way should be construed to indicate that the drug or drug combination is safe, effective or appropriate for any given patient. Multum does not assume any responsibility for any aspect of healthcare administered with the aid of information Multum provides. The information contained herein is not intended to cover all possible uses, directions, precautions, warnings, drug interactions, allergic reactions, or adverse effects. If you have questions about the drugs you are taking, check with your doctor, nurse or pharmacist.

Copyright 1996-2012 Cerner Multum, Inc. Version: 17.02. Revision Date: 2013-06-06, 9:44:07 AM.



Support

- [Advertise With Us](#)
- [Frequently Asked Questions](#)
- [Ask a Question](#)
- [Content Submissions](#)
- [Mobile Apps](#)
- [About Drugs.com](#)
- [Contact Us](#)
- [Sitemap](#)

Follow:     

About Drugs.com

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment.

Data sources include Micromedex® (updated May 6th, 2014), Cerner Multum™ (updated June 16th, 2014), Wolters Kluwer™ (updated June 12th, 2014) and others. To view content sources and attributions, refer to our [editorial policy](#).

Copyright © 2000-2014 Drugs.com. All rights reserved.

Your Privacy



We comply with the HONcode standard for trustworthy health information.

[Verify here](#)



Ad Choices

[Terms of Use](#) · [Privacy Policy](#)