

Want Rapid Weight Loss?

[thyroid-weight-loss.com](#)

Power-Boost Your Metabolism With A A Simple Thyroid Fix! Learn More.

Autism Therapy Services

[totalspectrumcare.com](#)

In-Home ABA Services to Children w/ Autism Spectrum Disorder - Illinois

4 veggies to never eat:

[biotrust.com](#)

Cut down a bit of stomach fat every day by never eating these 4 foods.

ADVERTISEMENT

Pill Identifier App
Now available for the iPhone and iPad.
[View Details](#)



Browse all medications [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [Advanced Search](#) [Phonetic Search](#)

- [Home](#)
- [Drugs A-Z](#)
- [Pill Identifier](#)
- [Interactions Checker](#)
- [News](#)
- [Health Professionals](#)
- [Q & A](#)
- [Mednotes](#)
- [Apps](#)

[Home](#) → [Conditions](#) → [Depression](#) → [Celexa](#) [Print](#) [Share](#) [Sign In](#) or [Register](#)

Celexa

Generic Name: [citalopram](#) (si TAL o pram)
Brand Names: *CeleXA*

- Overview**
- [Side Effects](#)
- [Dosage](#)
- [Interactions](#)
- [For Professionals](#)
- [More](#)

Flonase® Official Site

Help Manage Your Allergy Symptoms. Learn How Flonase® Can Help Today



What is Celexa?

Celexa (citalopram) is an antidepressant in a group of drugs called selective serotonin reuptake inhibitors (SSRIs).
Celexa is used to treat [depression](#).
Celexa may also be used for purposes not listed in this medication guide.

Important information

You should not use Celexa if you also take pimozone, or if you are being treated with methylene blue injection.

Do not use Celexa if you have used an MAO inhibitor in the past 14 days. A dangerous drug interaction could occur. MAO inhibitors include isocarboxazid, linezolid, methylene blue injection, phenelzine, rasagiline, selegiline, tranylcypromine, and others.

Some young people have thoughts about suicide when first taking an antidepressant. Your doctor will need to check your progress at regular visits while you are using Celexa. Your family or other caregivers should also be alert to changes in your mood or symptoms.

Report any new or worsening symptoms to your doctor, such as: mood or behavior changes, anxiety, panic attacks, trouble sleeping, or if you feel impulsive, irritable, agitated, hostile, aggressive, restless,

ADVERTISEMENT

The Depression Treatment Device

Fisher Wallace Stimulator
212 488 8100
fswd.com

20 minutes

Use for 20 minutes, once or twice a day.

Related Information

- Rx** **Availability**
Prescription only
- C** **Pregnancy Category**
Risk cannot be ruled out
- N/A** **CSA Schedule**
Not a controlled drug
- Calendar** **Approval History**
Drug history at FDA

Reviews

462 User Reviews

Average User Rating

7.8 Rate it!

Manufacturer

Forest Pharmaceuticals, Inc (acquired by Actavis July 2014)

SUBOXONE® Sublingual Film

(buprenorphine and naloxone) CIII. Find a

Drug Class

Selective serotonin reuptake inhibitors (SSRIs)

Related Drugs

- Anxiety and Stress**
- [citalopram](#)
 - [Prozac](#)
 - [amitriptyline](#)
 - [fluoxetine](#)
 - [Paxil](#)
 - [paroxetine](#)
 - [Elavil](#)
 - [Luvox](#)
 - [More...](#)
- Depression**
- [Xanax](#)
 - [trazodone](#)
 - [citalopram](#)
 - [Lexapro](#)
 - [Zoloft](#)
 - [Cymbalta](#)
 - [sertraline](#)
 - [Prozac](#)
 - [fluoxetine](#)
 - [More...](#)
- Postpartum Depression**
- [citalopram](#)
 - [Zoloft](#)
 - [sertraline](#)
 - [Prozac](#)
 - [fluoxetine](#)



Slideshow: Depression, the Risk of Suicide, and Treatment Options



hyperactive (mentally or physically), more depressed, or have thoughts about suicide or hurting yourself.

Do not give Celexa to anyone younger than 18 years old without the advice of a doctor. Celexa is not approved for use in children.

Before taking this medicine

You should not use Celexa if you are allergic to citalopram or escitalopram (Lexapro), if you also take pimozone, or if you are being treated with methylene blue injection.

Do not use Celexa if you have taken an MAO inhibitor in the past 14 days. A dangerous drug interaction could occur. MAO inhibitors include isocarboxazid, linezolid, phenelzine, rasagiline, selegiline, and tranylcypromine.

To make sure Celexa is safe for you, tell your doctor if you have:

- a bleeding or blood clotting disorder;
- liver or kidney disease;
- narrow-angle glaucoma;
- seizures or epilepsy;
- heart disease, heart failure, a heart rhythm disorder, slow heartbeats, or recent history of heart attack;
- personal or family history of Long QT syndrome;
- an electrolyte imbalance (such as low levels of potassium or magnesium in your blood);
- bipolar disorder (manic depression); or
- a history of drug abuse or suicidal thoughts.

Some young people have thoughts about suicide when first taking an antidepressant. Your doctor will need to check your progress at regular visits while you are using Celexa. Your family or other caregivers should also be alert to changes in your mood or symptoms.

FDA pregnancy category C. Taking an SSRI antidepressant during pregnancy may cause serious lung problems in the baby. However, you may have a relapse of depression if you stop taking your antidepressant. Tell your doctor right away if you become pregnant while taking Celexa. **Do not start or stop taking this medicine during pregnancy without your doctor's advice.**

See also: [Pregnancy and breastfeeding warnings](#) (in more detail)

Citalopram can pass into breast milk and may harm a nursing baby. You should not breast-feed while you are using Celexa.

Do not give this medicine to anyone under 18 years old without medical advice. Celexa is not approved for use in children.

Autism Therapy Services

totalspectru...

In-Home ABA Services to Children w/ Autism Spectrum Disorder - Illinois



Reduce Nerve Pain Now

neuropathyt...

Don't Let Neuropathy Symptoms Slow You Down. Get A Free Trial Now!



Your Breast Cancer Type

mybreastcancer...

Answer A Few Questions & Learn More About Your Breast Cancer Type.



[venlafaxine](#)
[Paxil](#)
[Effexor](#)
[More...](#)

Celexa (citalopram) Images



[View all 3 images](#)

Get Updates by Email

Email me:

News and Warnings related to this drug

FDA Medwatch Alerts for all Medications

News Roundup Daily

Related News and Articles

[Signs of Anxiety Might Cost You That Job](#) April 3, 2015
It's normal to feel nervous in a job interview, but certain signs of anxiety -- such as talking too slowly -- can count against you, a new Canadian study...

[Serving in Iraq, Afghanistan Not Behind Rising Suicide Rates in Military: Study](#) April 1, 2015
In a study of almost 4 million American military personnel, serving in Iraq or Afghanistan was not associated with suicide risk, a new study finds. The...

[Obesity, Smoking, Drinking, Depression: All Linked to Low Back Pain](#) March 25, 2015
People suffering from lower back pain who smoke, drink, are depressed or are obese may be able to ease their agony by making some lifestyle changes, a new...

Live better with your advanced COPD.

Learn More >

How should I take Celexa?

04/07/2015

Take Celexa exactly as prescribed by your doctor. Follow all directions on your prescription label. Your doctor may occasionally change your dose to make sure you get the best results. Do not take this medicine in larger or smaller amounts or for longer than recommended.

Measure liquid medicine with the dosing syringe provided, or with a special dose-measuring spoon or medicine cup. If you do not have a dose-measuring device, ask your pharmacist for one.

It may take 4 weeks or longer before your symptoms improve. Keep using the medication as directed and tell your doctor if your symptoms do not improve after 4 weeks of treatment.

Do not stop using Celexa suddenly, or you could have unpleasant withdrawal symptoms. Ask your doctor how to safely stop using Celexa.

Store at room temperature away from moisture and heat.

What happens if I miss a dose?

Take the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose. Do not take extra medicine to make up the missed dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while taking Celexa?

Ask your doctor before taking a nonsteroidal anti-inflammatory drug (NSAID) for pain, arthritis, fever, or swelling. This includes aspirin, celecoxib, diclofenac, indomethacin, meloxicam, and others, and others. Using an NSAID with Celexa may cause you to bruise or bleed easily.

Drinking alcohol can increase certain side effects of Celexa.

Celexa may impair your thinking or reactions. Be careful if you drive or do anything that requires you to be alert.

5) Foods To Never Eat

perfectorigin...

Here are 5 foods you should never eat if You want to lose belly fat.

>

4 veggies to never eat:

biotrust.com

Cut down a bit of stomach fat every day by never eating these 4 foods.

>

Want Rapid Weight Loss?

thyroid-weight...

Power-Boost Your Metabolism With A A Simple Thyroid Fix! Learn More.

>

Celexa side effects

Get emergency medical help if you have any of these **signs of an allergic reaction to Celexa:** skin rash or hives; difficulty breathing; swelling of your face, lips, tongue, or throat.

Report any new or worsening symptoms to your doctor, such as: mood or behavior changes, anxiety, panic attacks, trouble sleeping, or if you feel impulsive, irritable, agitated, hostile, aggressive, restless, hyperactive (mentally or physically), more depressed, or have thoughts about suicide or hurting yourself.

Call your doctor at once if you have:

- blurred vision, tunnel vision, eye pain or swelling, or seeing halos around lights;
- headache with chest pain and severe dizziness, fainting, fast or pounding heartbeats;

04/07/2015

severe nervous system reaction - very stiff (rigid) muscles, high fever, sweating, confusion, fast or uneven heartbeats, tremors, feeling like you might pass out;

- high levels of serotonin in the body - agitation, hallucinations, fever, fast heart rate, overactive reflexes, nausea, vomiting, diarrhea, loss of coordination, fainting; or
- low levels of sodium in the body - headache, confusion, slurred speech, severe weakness, vomiting, feeling unsteady.

Common Celexa side effects may include:

- drowsiness, dizziness, weakness;
- anxiety, feeling shaky, sleep problems (insomnia);
- vision changes;
- nausea, loss of appetite, diarrhea, constipation;
- dry mouth, yawning;
- cold symptoms such as stuffy nose, sneezing, sore throat, cough;
- increased sweating;
- changes in weight; or
- decreased sex drive, impotence, or difficulty having an orgasm.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

See also: [Side effects](#) (in more detail)

Celexa Dosing Information

Usual Adult Dose for Depression:

Initial dose: 20 mg orally once a day.

Maintenance dose: 20 to 40 mg/day. The initial dose may be increased in 20 mg increments not more often than once a week up to a maximum of 40 mg per day.

Usual Geriatric Dose for Depression:

20 mg/day orally is the maximum recommended dose for patients who are greater than 60 years of age.

Usual Pediatric Dose for Depression:

Children Up To 11 Years:

Initial dose: 10 mg orally once daily; increase dose slowly by 5 mg/day every 2 weeks as clinically needed; dosage range: 20 to 40 mg/day

12 to 18 Years:

Initial: 20 mg orally once daily; increase dose slowly by 10 mg/day every 2 weeks as clinically needed; dosage range: 20 to 40 mg/day

Usual Pediatric Dose for Obsessive Compulsive Disorder:

Children Up To 11 years: Initial: 5-10 mg/day given once daily; increase dose slowly by 5 mg/day every 2 weeks as clinically needed; dosage range: 10 to 40 mg/day.

12 to 18 years: Initial: 10 to 20 mg/day given once daily; increase dose slowly by 10 mg/day every 2 weeks as clinically needed; dosage range: 10 to 40 mg/day.

What other drugs will affect Celexa?

Taking this medicine with other drugs that make you sleepy or slow your breathing can cause dangerous or life-threatening side effects. Ask your doctor before taking Celexa with a sleeping pill, narcotic pain medicine, muscle relaxer, or medicine for anxiety, depression, or seizures.

Many drugs can interact with Celexa. Not all possible interactions are listed here. Tell your doctor about all your medications and any you start or stop using during treatment with Celexa, especially:

- any other antidepressant;

- anagrelide, cimetidine, droperidol, methadone, ondansetron, anagrelide, cimetidine, droperidol, methadone, tramadol;
- St. John's wort, tryptophan (sometimes called L-tryptophan);
- a blood thinner (warfarin, Coumadin, Jantoven);
- an antibiotic - azithromycin, clarithromycin, erythromycin, levofloxacin, moxifloxacin, pentamidine;
- cancer medicine - arsenic trioxide, doxorubicin, vandetanib;
- anti-malaria medication - chloroquine, halofantrine;
- heart rhythm medicine - amiodarone, disopyramide, dofetilide, dronedarone, flecainide, ibutilide, quinidine, sotalol;
- medicine to treat a psychiatric disorder - chlorpromazine, haloperidol, lithium, thioridazine; or
- migraine headache medicine - sumatriptan, zolmitriptan.

This list is not complete and many other drugs can interact with citalopram. This includes prescription and over-the-counter medicines, vitamins, and herbal products. Give a list of all your medicines to any healthcare provider who treats you.

 Google  Facebook  Twitter  Print  Email  Add to Mednotes

Next Page → [Side Effects](#)

More about Celexa (citalopram)

- [Side Effects](#)
- [During Pregnancy](#) or [Breastfeeding](#)
- [Dosage Information](#)
- [Drug Images](#)
- [Drug Interactions](#)
- [Support Group](#)
- [Pricing & Coupons](#)
- [En Espanol](#)
- [462 Reviews](#) - [Add your own review/rating](#)
- [Generic Availability](#)

Consumer resources

- [Celexa](#)
- [Celexa solution](#)
- [Celexa](#) (Advanced Reading)

Professional resources

- [Celexa](#) (AHFS Monograph)
- [Celexa](#) (FDA)

Related treatment guides

- [Anxiety and Stress](#)
- [Depression](#)
- [Postpartum Depression](#)

Where can I get more information?

- Your pharmacist can provide more information about Celexa.

3 Herbs that Beat Anxiety

Doctors Reveal 1 Weird Compound to Calm Anxiety that May Surprise

▼...





Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Disclaimer: Every effort has been made to ensure that the information provided by Cerner Multum, Inc. ('Multum') is accurate, up-to-date, and complete, but no guarantee is made to that effect. Drug information contained herein may be time sensitive. Multum information has been compiled for use by healthcare practitioners and consumers in the United States and therefore Multum does not warrant that uses outside of the United States are appropriate, unless specifically indicated otherwise. Multum's drug information does not endorse drugs, diagnose patients or recommend therapy. Multum's drug information is an informational resource designed to assist licensed healthcare practitioners in caring for their patients and/or to serve consumers viewing this service as a supplement to, and not a substitute for, the expertise, skill, knowledge and judgment of healthcare practitioners. The absence of a warning for a given drug or drug combination in no way should be construed to indicate that the drug or drug combination is safe, effective or appropriate for any given patient. Multum does not assume any responsibility for any aspect of healthcare administered with the aid of information Multum provides. The information contained herein is not intended to cover all possible uses, directions, precautions, warnings, drug interactions, allergic reactions, or adverse effects. If you have questions about the drugs you are taking, check with your doctor, nurse or pharmacist.

Copyright 1996-2015 Cerner Multum, Inc. Version: 18.04. Revision Date: 2014-08-26, 11:05:51 AM.



Support

About Drugs.com

Your Privacy

- [Advertise With Us](#)
- [Frequently Asked Questions](#)
- [Ask a Question](#)
- [Content Submissions](#)
- [Mobile Apps](#)
- [About Drugs.com](#)
- [Contact Us](#)
- [Sitemap](#)



Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment.

Data sources include Micromedex® (updated Feb 4th, 2015), Cerner Multum™ (updated Feb 17th, 2015), Wolters Kluwer™ (updated Apr 6th, 2015) and others. To view content sources and attributions, refer to our [editorial policy](#).

Copyright © 2000-2015 Drugs.com. All rights reserved.



We comply with the HONcode standard for trustworthy health information.
[Verify here](#)



[Terms of Use](#) · [Privacy Policy](#)