

ADVERTISEMENT

Pill Identifier App
Now available for the iPhone and iPad.
[View Details](#)



Browse all medications [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [Advanced Search](#) [Phonetic Search](#)

- [Home](#)
- [Drugs A-Z](#)
- [Pill Identifier](#)
- [Interactions Checker](#)
- [News](#)
- [Health Professionals](#)
- [Q & A](#)
- [Mednotes](#)
- [Apps](#)

Home → Conditions → Headache → Fioricet

[Print](#) [Share](#)

[Sign In](#) or [Register](#)

Fioricet 🔊

Generic Name: [acetaminophen, butalbital, and caffeine](#) (a SEET a MIN oh fen, bue TAL bi tal, and KAF een)

Brand Names: *Alagesic, Anolor 300, Dolgic LQ, Dolgic Plus, Esgic, Fioricet, Geone, Margesic, Medigesic, Orbivan, Repan, Zebutal*

- Overview**
- Side Effects
- Dosage
- Interactions
- For Professionals
- More ▾

Sciatica Relief Stretches

Instant Sciatica Guide Download. End Tingling Numbing Feeling Now!



What is Fioricet?

Fioricet contains a combination of acetaminophen, butalbital, and caffeine. Acetaminophen is a pain reliever and fever reducer. Butalbital is in a group of drugs called barbiturates. It relaxes muscle contractions involved in a tension headache. Caffeine is a central nervous system stimulant. It relaxes muscle contractions in blood vessels to improve blood flow.

Fioricet is used to treat tension headaches that are caused by muscle contractions.

Fioricet may also be used for purposes not listed in this medication guide.

ADVERTISEMENT

LUNG
CANCER
AWARENESS
MONTH

VISIT PIONEERINGHEALTHCARE.COM/LUNGCANCER

Important information

You should not use Fioricet if you have porphyria, or if you have recently used alcohol, sedatives, tranquilizers, or other narcotic medications.

Do not use Fioricet if you have taken an MAO inhibitor in the past 14 days. A dangerous drug interaction could occur. MAO inhibitors include isocarboxazid, linezolid, phenelzine, rasagiline, selegiline, and tranylcypromine.

Do not take more Fioricet than is recommended. An overdose of acetaminophen can damage your liver or cause death. Call your doctor at once if you have nausea, pain in your upper stomach, itching, loss of appetite, dark urine, clay-colored stools, or jaundice (yellowing of your

Slideshow: OTC Medication Use In Pregnancy: Wise or Worrisome?

Related Information

- Rx **Availability**
Prescription only
- C **Pregnancy Category**
Risk cannot be ruled out
- M **CSA Schedule**
Multiple: 0,3
- 📅 **Approval History**
Drug history at FDA
- 🚴 **WADA Class**
Anti-Doping Classification

SEVERE ALLERGIES?
LEARN ABOUT EMERGENCY
EPINEPHRINE.

Watch ▶

Harvard Health Publications
Related: [Tension Headache](#)

Reviews
79 User Reviews

Average User Rating
8.8 [Rate it!](#)

Manufacturer
[Watson Pharmaceuticals, Inc. \(now Actavis, Inc\)](#)

Drug Class
[Analgesic combinations](#)

- Related Drugs
- [Headache](#)
 - [naproxen](#)
 - [ibuprofen](#)
 - [Aleve](#)
 - [Motrin](#)
 - [Advil](#)
 - [Naprosyn](#)
 - [acetaminophen/butalbital/ca](#)

- [Fiorinal](#)
- [Midrin](#)
- [Anaprox](#)
- [Tylenol PM](#)
- [Fioricet with Codeine](#)



skin or eyes).

In rare cases, acetaminophen may cause a severe skin reaction. Stop taking this medicine and call your doctor right away if you have skin redness or a rash that spreads and causes blistering and peeling.

Before taking this medicine

Do not use Fioricet if you have taken an MAO inhibitor in the past 14 days. A dangerous drug interaction could occur. MAO inhibitors include isocarboxazid, linezolid, phenelzine, rasagiline, selegiline, and tranylcypromine.

You should not use Fioricet if you are allergic to acetaminophen, butalbital, or caffeine, if you have porphyria, or if you have recently used alcohol, sedatives, tranquilizers, or other narcotic medications.

To make sure Fioricet is safe for you, tell your doctor if you have:

- liver disease, cirrhosis, a history of alcoholism or drug addiction, or if you drink more than 3 alcoholic beverages per day;
- kidney disease;
- asthma, sleep apnea, or other breathing disorder;
- stomach ulcer or bleeding;
- a history of skin rash caused by any medication;
- a history of mental illness or suicidal thoughts; or
- if you use medicine to prevent blood clots.

Butalbital may be habit forming. Never share this medicine with another person, especially someone with a history of drug abuse or addiction. Keep the medication in a place where others cannot get to it.

FDA pregnancy category C. It is not known whether Fioricet will harm an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant while using this medication.

See also: [Pregnancy and breastfeeding warnings](#) (in more detail)


Fioricet can pass into breast milk and may harm a nursing baby. Tell your doctor if you are breastfeeding a baby.

- [Naprelan](#)
- [Dologesic](#)
- [Esgic](#)
- [Anaprox-DS](#)
- [aspirin/butalbital/caffeine](#)
- [Bupap](#)
- [Percogesic](#)
- [acetaminophen/butalbital/ca](#)

- [acetaminophen/dichloralphe](#)
- [mucate](#)
- [Fiorinal with Codeine](#)

[More...](#)

Fioricet (acetaminophen / butalbital / caffeine) Images



Fioricet (acetaminophen / butalbital / caffeine) acetaminophen 325mg / butalbital 50mg / caffeine 40mg

Fioricet (acetaminophen / butalbital / caffeine) 325 mg / 50 mg / 40 mg

[View all 5 images](#)

Get Updates by Email

Email me:

- News and Warnings related to this drug
- FDA Medwatch Alerts for all Medications
- News Roundup Daily

Related News and Articles

[Doctors' Group Issues Painkiller Guidelines](#)

September 29, 2014

The risks of powerful narcotic painkillers outweigh their benefits for treating chronic headaches, low back pain and fibromyalgia, a new statement from the...

[Health Tip: Easing Headache Pain](#) July 25, 2014

Headache symptoms vary, from a sharp pain to a dull throb. Remedies to treat these symptoms are similarly numerous. The American Academy of Family Physicians...

[Former NFL Players May Be Plagued With Chronic Headaches](#) June 24, 2014

Some retired NFL players live with nearly constant headaches, and their misery is frequently punctuated with skull-splitting migraines, a new study...

[Bad Migraines?](#)

[tophealthresourc...](#)

Top 5 treatment options! Get relief fast.



[Oxytrol® For Women](#)

[oxytrolforwom...](#)

The First & Only OTC Treatment for Women with Overactive Bladder



[7 Hidden Parkinsons Signs](#)

[w3.blaylockwelln...](#)

Your Body Will Send 7 Signals That Parkinson's Disease Is Coming



How should I take Fioricet?

Take Fioricet exactly as prescribed. Follow all directions on your prescription label. Do not take more of this medication than recommended. An overdose can damage your liver or cause death. Tell your doctor if the medicine seems to stop working as well in relieving your pain.

GET THE FACTS ABOUT EPILEPSY

[Watch the video](#) >

Take the medicine with food or milk if it upsets your stomach.

Store Fioricet at room temperature away from moisture and heat.

Keep track of the amount of medicine used from each new bottle. Butalbital is a drug of abuse and you should be aware if anyone is using your medicine improperly or without a prescription.

What happens if I miss a dose?

Since this medicine is used when needed, you may not be on a dosing schedule. If you are on a schedule, use the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose. Do not use extra medicine to make up the missed dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222. An overdose of Fioricet can be fatal.

The first signs of an acetaminophen overdose include loss of appetite, nausea, vomiting, stomach pain, sweating, and confusion or weakness. Later symptoms may include pain in your upper stomach, dark urine, and yellowing of your skin or the whites of your eyes.

Overdose symptoms may also include insomnia, restlessness, tremor, diarrhea, increased shallow breathing, uneven heartbeats, seizure (convulsions), or fainting.

What should I avoid?

Fioricet can cause side effects that may impair your thinking or reactions. Be careful if you drive or do anything that requires you to be awake and alert.

Avoid drinking alcohol. It may increase your risk of liver damage while taking acetaminophen.

Ask a doctor or pharmacist before using any other cold, allergy, pain, or sleep medication.

Acetaminophen (sometimes abbreviated as APAP) is contained in many combination medicines. Taking certain products together can cause you to get too much acetaminophen which can lead to a fatal overdose. Check the label to see if a medicine contains acetaminophen or APAP.

While you are taking Fioricet, avoid taking diet pills, caffeine pills, or other stimulants (such as ADHD medications) without your doctor's advice.

"How I Ended Nail Fungus"

emuaid.com/nail_fu...

Watch Tom's Story About One Simple Trick To End Severe Nail Fungus.



Apply for Disability

disability-ben...

Are you eligible for up to \$2642/mo in Social Security Disability?



SUBOXONE® Sublingual Film

suboxone.com

(buprenorphine and naloxone) CIII. Find a doctor.



Fioricet side effects

Get emergency medical help if you have any of these signs of an allergic reaction to Fioricet: hives; difficulty breathing; swelling of your face, lips, tongue, or throat.

In rare cases, acetaminophen may cause a severe skin reaction that can be fatal. This could occur even if you have taken acetaminophen in the past and had no reaction. Stop taking this medicine and call your doctor right away if you have skin redness or a rash that spreads and causes blistering and peeling. If you have this type of reaction, you should never again take any medicine that contains acetaminophen.

Stop using Fioricet and call your doctor at once if you have:

- confusion, seizure (convulsions);
- shortness of breath;
- a light-headed feeling, like you might pass out; or
- nausea, upper stomach pain, itching, loss of appetite, dark urine, clay-colored stools, jaundice (yellowing of the skin or eyes).

Common Fioricet side effects may include:

- drowsiness, dizziness;
- feeling anxious or restless;
- drunk feeling; or
- sleep problems (insomnia).

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

See also: [Side effects](#) (in more detail)

What other drugs will affect Fioricet?

Taking this medicine with other drugs that make you sleepy or slow your breathing can cause dangerous or life-threatening side effects. Ask your doctor before taking Fioricet with a sleeping pill, narcotic pain medicine, muscle relaxer, or medicine for anxiety, depression, or seizures.

Other drugs may interact with Fioricet, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell each of your health care providers about all medicines you use now and any medicine you start or stop using.

 [Google](#)  [Facebook](#)  [Twitter](#)  [Print](#)  [Email](#)  [Add to Mednotes](#)

Next Page → [Side Effects](#)

More about Fioricet (acetaminophen / butalbital / caffeine)

- [Side Effects](#)
- [During Pregnancy](#)
- [Dosage Information](#)
- [Drug Images](#)
- [Drug Interactions](#)
- [Support Group](#)
- [Pricing & Coupons](#)
- [En Espanol](#)
- [79 Reviews](#) - [Add your own review/rating](#)

Consumer resources

- [Fioricet capsules and tablets](#)
- [Fioricet Oral](#) (Advanced Reading)
- *Other brands:* [Esgic](#), [Esgic-Plus](#), [Medigesic](#), [Repan](#), [More \(9\)](#) »

Professional resources

- [Fioricet](#) (FDA)
- [Fioricet Capsules](#) (FDA)

Other formulations

- [Fioricet with Codeine](#)

Related treatment guides

- [Headache](#)

Where can I get more information?

- Your pharmacist can provide more information about Fioricet.

Prostate Cancer Stages

See the Progression of Stages for Prostate Cancer. Get Expert



Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use Fioricet only for the indication prescribed.

Disclaimer: Every effort has been made to ensure that the information provided by Cerner Multum, Inc. ('Multum') is accurate, up-to-date, and complete, but no guarantee is made to that effect. Drug information contained herein may be time sensitive. Multum information has been compiled for use by healthcare practitioners and consumers in the United States and therefore Multum does not warrant that uses outside of the United States are appropriate, unless specifically indicated otherwise. Multum's drug information does not endorse drugs, diagnose patients or recommend therapy. Multum's drug information is an informational resource designed to assist licensed healthcare practitioners in caring for their patients and/or to serve consumers viewing this service as a supplement to, and not a substitute for, the expertise, skill, knowledge and judgment of healthcare practitioners. The absence of a warning for a given drug or drug combination in no way should be construed to indicate that the drug or drug combination is safe, effective or appropriate for any given patient. Multum does not assume any responsibility for any aspect of healthcare administered with the aid of information Multum provides. The information contained herein is not intended to cover all possible uses, directions, precautions, warnings, drug interactions, allergic reactions, or adverse effects. If you have questions about the drugs you are taking, check with your doctor, nurse or pharmacist.

Copyright 1996-2014 Cerner Multum, Inc. Version: 5.01. Revision Date: 2013-08-09, 4:47:37 PM.



Support

- [Advertise With Us](#)
- [Frequently Asked Questions](#)
- [Ask a Question](#)
- [Content Submissions](#)
- [Mobile Apps](#)
- [About Drugs.com](#)
- [Contact Us](#)
- [Sitemap](#)

Follow:

About Drugs.com

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment.

Data sources include Micromedex® (updated Sep 26th, 2014), Cerner Multum™ (updated Oct 16th, 2014), Wolters Kluwer™ (updated Oct 9th, 2014) and others. To view content sources and attributions, refer to our [editorial policy](#).

Copyright © 2000-2014 Drugs.com. All rights reserved.

Your Privacy



We comply with the HONcode standard for trustworthy health information.
[Verify here](#)



Ad Choices

[Terms of Use](#) · [Privacy Policy](#)