

ADVERTISEMENT



follow us on
twitter
click here



Drug Information Online

Q enter a search term

Search

Browse all medications

ABCDEFGHIJKLMNOPQRSTUVWXYZ

Advanced Search

Phonetic Search

Home

Drugs A to Z

Pill Identifier

Interactions Checker

News & Alerts

Health Professionals

Community

Mednotes

Drugs A to Z

Drugs by Condition

Drugs by Class

Side Effects

Dosage

Pregnancy

Natural Products

Vet Drugs

Symptom Checker

Harvard Health Topics

MEUP

Twitter

Facebook

LinkedIn

Home > Drugs by Condition > E > Edema > Lasix Consumer Information

Print

Save or Share

Lasix

Generic Name: furosemide (fur OH se mide)

Brand Names: Lasix

Ads by Google

Warfarin Testing at Home

www.ptinr.com

Finally, a safe, easy Warfarin test taken at home - fewer office visits

Lantus® (insulin glargine)

www.LANTUS.com

[rDNA origin] injection) Get Info - Lantus Might Be Right For You

Femara® Side Effects

www.Femara.com

Official Site: Find Product Info on Femara® (letrozole) Tablets.

Sign In or Register

Forgot password?

username

password

Sign In

Related Lasix Information

10+ years

Approval History

Tablet; Oral FDA approved 1966

C

Pregnancy Category

Risk cannot be ruled out

Rx

Availability

Prescription only

N/A

CSA Schedule

Not a controlled drug

Reviews

Average User Rating

12 User Reviews

7.6

Rate it!

Related Pages

Detailed Side Effects

Drug Interactions

Support Group Q & A

Pregnancy & Breastfeeding Drug Images

Drug Class

Loop diuretics

ADVERTISEMENT

managing side effects

there is hope. chat privately with our oncology info specialists today

CancerCenter.com/CareThatNeverQuits

Try OMNARIS® For Less

Pay as low as \$11 for each of your 12 OMNARIS® (ciclesonide) Rx's.

www.OMNARIS.com

Going Cold Turkey?

Get Info on Withdrawal, Detox, and Rehab for Painkiller Addiction

TurnToHelp.com

Best Gout Products

Which Products Really Work? Find Out Before You Buy!

Gout-Treatments-Association.com

Ads by Google

Related Video

Hypertension

What does 140 over 90 mean? Learn about high blood pressure numbers.

Lasix is a loop diuretic (water pill) that prevents your body from absorbing too much salt, allowing the salt to instead be passed in your urine.

Lasix treats fluid retention (edema) in people with congestive heart failure, liver disease, or a kidney disorder such as nephrotic syndrome. This medication is also used to treat high blood pressure (hypertension).

Lasix may also be used for other purposes not listed in this medication guide.

Important information about Lasix

Do not use Lasix if you are unable to urinate.

Before using this medication, tell your doctor if you have kidney disease, liver disease, gout, lupus, diabetes, or an allergy to sulfa drugs.

To be sure Lasix is not causing harmful effects, your blood will need to be tested on a regular basis. Your kidney or liver function may also need to be tested. Do not miss any scheduled appointments.

Related Drugs

High Blood Pressure

lisinopril, hydrochlorothiazide, metoprolol, amlodipine, atenolol, clonidine, More...

Edema

hydrochlorothiazide, furosemide, spironolactone, triamterene, Aldactone, chlorthalidone, More...

Heart Failure

lisinopril, metoprolol, amlodipine, furosemide, digoxin, spironolactone, More...

Renal Failure

furosemide, torsemide, Demadex, Edecrin, ethacrynic acid, More...

6 more conditions...

http://www.drugs.com/lasix.html[3/29/2011 1:28:30 PM]

Lasix will make you urinate more often and you may get dehydrated easily. Follow your doctor's instructions about using potassium supplements or getting enough salt and potassium in your diet.

Avoid becoming dehydrated. Follow your doctor's instructions about the type and amount of liquids you should drink while you are taking this medication.

If you are being treated for high blood pressure, keep using Lasix even if you feel fine. High blood pressure often has no symptoms.

What should I discuss with my healthcare provider before taking Lasix?

Do not use Lasix if you are unable to urinate.

Before using this medication, tell your doctor if you have:

- kidney disease;
- liver disease;
- gout;
- lupus;
- diabetes; or
- an allergy to sulfa drugs.

If you have any of these conditions, you may need a dose adjustment or special tests to safely take Lasix.

FDA pregnancy category C. It is not known whether this medication is harmful to an unborn baby. Before taking Lasix, tell your doctor if you are pregnant or plan to [become pregnant](#) during treatment. Furosemide can pass into breast milk and may harm a nursing baby. Do not use Lasix without telling your doctor if you are breast-feeding a baby.

See also: [Lasix pregnancy and breastfeeding warnings](#) (in more detail)

Ads by Google

[Back Injury Medication](#)
Minimally Invasive Treatment For Your Back Pain-
Get Your Life Back!
www.LaserSpineInstitute.com/Back

[Ask Doctors: Side Effects](#)
22 Doctors, Nurses are Online Now Current Wait
Time: 7 Minutes.
Medicine.JustAnswer.com

[Women's Drug Rehab](#)
Unique Approach Focused on Women. Financing
Avail. Immediate Avail.
www.OrchidRecoveryCenter.com


How should I take Lasix?

Take this medication exactly as it was prescribed for you. Do not take the medication in larger amounts, or take it for longer than recommended by your doctor. Follow the directions on your prescription label. Measure liquid medicine with a special dose-measuring spoon or cup, not a regular table spoon. If you do not have a dose-measuring device, ask your pharmacist for one.

Your doctor may occasionally change your dose to make sure you get the best results from Lasix.

Lasix will make you urinate more often and you may get dehydrated easily. Follow your doctor's instructions about using potassium supplements or getting enough salt and potassium in your diet.

Drug Images



[View all 3 images](#)

Get Updates by Email

Email me about Lasix:

News and Warnings related to this drug

Also send the Drugs.com monthly newsletter
FDA Medwatch Alerts for all medications

Get Notified

ADVERTISEMENT

Lower Your Blood Pressure - The All Natural Way
The only non-drug medical device clinically proven to lower blood pressure www.resperate.com

\$350,000 in Life Insurance
Protect Your Family Today. Coverage as low as \$13.04/month. [Free Quote Here](#) [BestQuoteMarket.com](#)

Weight Loss Medicine
Immediate weight loss - reduces fat absorbtion - less fat means less pounds www.pharmcom.com

Help and Support

Looking for answers? [Ask a question](#) or go join the [Lasix support group](#) to connect with others who have similar interests.

To be sure Lasix is not causing harmful effects, your blood will need to be tested on a regular basis. Your kidney or liver function may also need to be tested. Do not miss any scheduled appointments.

If you are being treated for high blood pressure, keep using Lasix even if you feel fine. High blood pressure often has no symptoms.

Store Lasix at room temperature away from heat, light, and [moisture](#). Lasix liquid medicine should be used within 60 to 90 days after opening the bottle. Ask your pharmacist how many days your medicine is good for. Throw away any unused liquid after that time has passed.

What happens if I miss a dose?

Lasix is sometimes used only once, so you may not be on a dosing schedule. If you are using the medication regularly, take the missed dose as soon as you remember. If it is almost time for the next dose, skip the missed dose and wait until your next regularly scheduled dose. Do not take extra medicine to make up the missed dose.

What happens if I overdose?

Seek emergency medical attention if you think you have used too much of this medicine. Overdose symptoms may include ringing in your ears, loss of appetite, weakness, dizziness, confusion, feeling light-headed, or fainting.

What should I avoid while taking Lasix?

Avoid becoming dehydrated. Follow your doctor's instructions about the type and amount of liquids you should drink while you are taking Lasix.

Avoid exposure to sunlight or artificial UV rays (sunlamps or tanning beds). Lasix can make your [skin](#) more sensitive to sunlight and sunburn may result.

Ads by Google

[Potassium Side Effects](#)

Find Potassium Side-effects at Great Prices.
[www.Pronto.com](#)

[Pill Identifier](#)

Identify pills by shape, color numbers & more!
[healthyadvice.com/Pill-Identifier](#)

[I Had High Blood Pressure](#)

Now it's down to 120/75. Find out how I did it without drugs
[RESPeRATE.com](#)

What are the possible side effects of Lasix

Get emergency medical help if you have any of these signs of an allergic reaction: hives; difficulty breathing; swelling of your face, lips, tongue, or throat. Stop using Lasix and call your doctor at once if you have any of these serious side effects:

- dry [mouth](#), thirst, nausea, vomiting;
- feeling weak, drowsy, restless, or light-headed;
- fast or uneven heartbeat;
- muscle pain or weakness;
- urinating less than usual or not at all;



Harvard Health Publications
SPECIAL HEALTH REPORT



Hypertension:
Controlling the 'silent killer'
Available in print with Free Shipping or instant download.
[Learn More](#) **Save 30%**

- easy bruising or bleeding, unusual weakness;
- a red, blistering, peeling skin rash;
- hearing loss; or
- nausea, stomach pain, low fever, loss of appetite, dark urine, clay-colored stools, jaundice (yellowing of the skin or eyes).

Less serious Lasix side effects may include:

- diarrhea, constipation, or stomach pain;
- headache;
- numbness, burning, pain, or tingly feeling;
- dizziness; or
- blurred vision.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

See also: [Lasix side effects](#) (in more detail)

What other drugs will affect Lasix?

If you take sucralfate (Carafate), take it at least 2 hours before or after you take Lasix.

Before taking Lasix, tell your doctor if you are using any of the following drugs:

- lithium;
- digoxin (Lanoxin);
- steroids (prednisone and others);
- ethacrynic acid (Edecrin);
- diet pills or cold medicine;
- other blood pressure medications;
- amikacin (Amikin), gentamicin (Garamycin), netilmicin (Netromycin), streptomycin, tobramycin (Nebcin, Tobi);
- salicylates such as aspirin, Disalcid, Doan's Pills, Dolobid, Salflex, Tricosal, and others; or
- indomethacin.

This list is not complete and there may be other drugs that can interact with Lasix. Tell your doctor about all the prescription and over-the-counter medications you use. This includes vitamins, minerals, herbal products, and drugs prescribed by other doctors. Do not start using a new medication without telling your doctor.

More Lasix resources

- [Lasix Side Effects](#) (in more detail)
- [Lasix Use in Pregnancy & Breastfeeding](#)
- [Drug Images](#)
- [Lasix Drug Interactions](#)
- [Lasix Support Group](#)
- [12 Reviews for Lasix](#) - [Add your own review/rating](#)

- Professional [Lasix Prescribing Information](#) (FDA)
- Advanced [Lasix Advanced Consumer](#) (Micromedex) - Includes Dosage Information
- Professional [Lasix Monograph](#) (AHFS DI)
- Med Facts [Lasix MedFacts Consumer Leaflet](#) (Wolters Kluwer)
- Professional [Furosemide Prescribing Information](#) (FDA)
- Professional [Furosemide Professional Patient Advice](#) (Wolters Kluwer)
- Med Facts [Furosemide MedFacts Consumer Leaflet](#) (Wolters Kluwer)

Compare Lasix with other medications

- [Ascites](#)
 - [Heart Failure](#)
 - [Hypercalcemia](#)
 - [Oliguria](#)
 - [Renal Failure](#)
- [Edema](#)
 - [High Blood Pressure](#)
 - [Nonobstructive Oliguria](#)
 - [Pulmonary Edema](#)
 - [Renal Transplant](#)

Where can I get more information?

- Your pharmacist can provide more information about Lasix.

 [Printable Version](#)

 [Email](#)

[Recommend](#)

 [Tweet](#)

 [Save or Share](#)

Ads by Google

#1 Addiction Rehab Center

Adult, Addiction Rehab & Detox All Private Rooms, Insurance OK
[TransformationsTreatment.com](#)

GERD & Heartburn Center

Answers to your questions about reflux, heartburn and more.
[www.ivillage.com](#)

- Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use Lasix only for the indication prescribed.
- Every effort has been made to ensure that the information provided by Cerner Multum, Inc. ('Multum') is [accurate](#), up-to-date, and complete, but no guarantee is made to that effect. Drug information contained herein may be time sensitive. Multum information has been compiled for use by healthcare practitioners and consumers in the United States and therefore Multum does not warrant that uses outside of the United States are appropriate, unless specifically indicated otherwise. Multum's drug information does not endorse drugs, diagnose patients or recommend therapy. Multum's drug information is an informational resource designed to assist licensed healthcare practitioners in caring for their patients and/or to serve consumers viewing this service as a supplement to, and not a substitute for, the expertise, skill, knowledge and judgment of healthcare practitioners. The absence of a warning for a given drug or drug combination in no way should be construed to indicate that the drug or drug combination is safe, effective or appropriate for any given patient. Multum does not assume any responsibility for any aspect of healthcare administered with the aid of information Multum provides. The information contained herein is not intended to cover all possible uses, directions, precautions, warnings, drug interactions, allergic reactions, or adverse effects. If you have questions about the drugs you are taking, check with your doctor, nurse or pharmacist.

Copyright 1996-2009 Cerner Multum, Inc. Version: 9.02. Revision Date: 4/12/2009 4:22:39 PM.



Search

Ads by Google [Drug Rehab](#) [Drug Treatment](#) [Lasix](#) [Drug Recovery](#)

Support	About Drugs.com	Your Privacy
Advertise With Us Frequently Asked Questions Pharmaceutical Companies Widgets for your Website Content Submissions About Drugs.com Contact Us Sitemap Follow us on:  	Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines & natural products. This material is provided for educational purposes only and is not to be used for medical advice, diagnosis or treatment. Data sources include Micromedex™ (updated Feb 3rd, 2011), Cerner Multum™ (updated Mar 18th, 2011), Wolters Kluwer™ (updated Mar 5th, 2011) and others. To view content sources and attributions, refer to our editorial policy. Copyright © 2000-2011 Drugs.com. All rights reserved.	 TRUSTe CERTIFIED PRIVACY Verify Here  HON @ CODE We comply with the HONcode standard for trustworthy health information. Verify here  Ad Choices Terms of Use · Privacy Policy

Visited 03/29/2011

